

	lan	original	translation
1	en	You are logged in as administrator (%s) of this phpList system	You are logged in as administrator (%s) of this phpList system
2	en	You are therefore offered the following choice, which your subscribers will not see when they load this page.	You are therefore offered the following choice, which your subscribers will not see when they load this page.
3	en	Go back to admin area	Go back to admin area
4	en	Please choose	Please choose
5	en	Make this subscriber confirmed immediately	Make this subscriber confirmed immediately
6	en	Send this subscriber a request for confirmation email	Send this subscriber a request for confirmation email
7	en	Subscriber removed from Blacklist for manual confirmation of subscription	Subscriber removed from do-not-send list for manual confirmation of subscription
8	en	Subscriber has been removed from blacklist	Subscriber has been removed from do-not-send list
9	en	Forwarded receiver requested blacklist	Forwarded receiver requested blacklist
10	en	\\\"Jump off\\\" used by subscriber, reason not requested	\\\"Jump off\\\" used by subscriber, reason not requested
11	en	\\\"Jump off\\\" set, reason not requested	\\\"Jump off\\\" set, reason not requested
12	en	When testing the phpList forward functionality, you need to be logged in as an administrator.	When testing the phpList forward functionality, you need to be logged in as an administrator.
13	en	Message Forwarded	Message forwarded
14	en	%s has forwarded message %d to %s	%s has forwarded message %d to %s
15	en	%s tried forwarding message %d to %s but failed	%s tried forwarding message %d to %s but failed
16	en	Forward request from invalid user ID: %s	Forward request from invalid user ID: %s
17	en	Invalid Email	Invalid Email
18	en	Choose a list	Choose a list
19	en	list	list
20	en	# bounced	# bounced
21	en	None found	None found
22	en	Select another list	Select another list
23	en	%d bounces to list %s	%d bounces to list %s
24	en	Bounces on	Bounces on
25	en	address	address
26	en	# bounces	# bounces
27	en	All draft campaigns deleted	All draft campaigns deleted
28	en	campaigns deleted	campaigns deleted
29	en	Campaign deleted	Campaign deleted
30	en	start a new message	start a new campaign
31	en	Start a new campaign	Start a new campaign
32	en	Choose an existing draft message to work on	Choose an existing draft campaign to work on
33	en	Draft messages	Draft campaigns
34	en	Entered	Entered
35	en	age	age
36	en	Del	Del
37	en	Delete all	Delete all
38	en	Please select the lists you want to send your campaign to	Please select the lists you want to send your campaign to

39	en	Please select the lists you want to exclude from this campaign	Please select the lists you want to exclude from this campaign
40	en	The campaign will go to users who are a member of the lists above, unless they are a member of one of the lists you select here.	The campaign will go to subscribers who are a member of the lists above, unless they are also a member of one of the lists you select here.
41	en	Your database is out of date, please make sure to upgrade	Your database is out of date, please make sure to upgrade
42	en	Your version	Your version
43	en	phplist version	phplist version
44	en	upgrade	Upgrade
45	en	Database has not been initialised	Database has not been initialised
46	en	go to	go to
47	en	Initialise Database	Initialise Database
48	en	to continue	to continue
49	en	A new version of phplist is available!	A new version of phplist is available!
50	en	The new version may have fixed security issues, so it is recommended to upgrade as soon as possible	The new version may have fixed security issues, so it is recommended to upgrade as soon as possible
51	en	Latest version	Latest version
52	en	Read what has changed in the new version	Read what has changed in the new version
53	en	View what has changed	View what has changed
54	en	Download the new version	Download the new version
55	en	Download	Download
56	en	Continue Configuration	Continue Configuration
57	en	Continue the Configuration process of phplist	Continue the Configuration process of phplist
58	en	Send a campaign	Send a campaign
59	en	Start or continue a campaign	Start or continue a campaign
60	en	Manage Campaigns	Manage campaigns
61	en	View current campaigns	View current campaigns
62	en	Manage subscribers	Manage subscribers
63	en	Search, edit and add Subscribers	Search, edit and add subscribers
64	en	View statistics	View statistics
65	en	Main	Main
66	en	Manage Lists	Manage lists
67	en	View, edit and add lists, that your subscribers can sign up to	View, edit and add lists, that your subscribers can sign up to
68	en	users	Subscribers
69	en	List all Users	List all subscribers
70	en	Import	Import
71	en	Import Users	Import subscribers
72	en	Export	Export
73	en	Export Users	Export subscribers
74	en	reconcileusers	Reconcile subscribers
75	en	Reconcile the User Database	Reconcile the subscriber database
76	en	List and user functions	List and user functions
77	en	Configure	Configure
78	en	attributes	Attributes
79	en	Configure attributes	Configure attributes

80	en	Control values for	Control values for
81	en	spage	Subscribe page
82	en	Configure Subscribe Pages	Configure subscribe pages
83	en	Configuration Functions	Configuration functions
84	en	admins	admins
85	en	Add, edit and remove Administrators	Add, edit and remove Administrators
86	en	adminattributes	Admin attributes
87	en	Configure Attributes for administrators	Configure Attributes for administrators
88	en	Administrator Functions	Administrator functions
89	en	send	Send
90	en	Send a Message	Send a campaign
91	en	preparesent	preparesent
92	en	Prepare a Message	Prepare a Message
93	en	sendprepared	sendprepared
94	en	Send a Prepared Message	Send a Prepared Message
95	en	templates	templates
96	en	Configure Templates	Configure templates
97	en	Messages	Messages
98	en	List all Messages	List all campaigns
99	en	processqueue	process queue
100	en	Process the Message Queue	Process the Queue
101	en	warning	Warning
102	en	You have set TEST in config.php to 1, so it will only show what would be sent	You have set TEST in config.php to 1, so it will only show what would be sent
103	en	processbounces	Process bounces
104	en	Process Bounces	Process Bounces
105	en	Bounces	Bounces
106	en	View Bounces	View Bounces
107	en	Message Functions	Campaign functions
108	en	Plugins	Plugins
109	en	Setup	Setup
110	en	dbcheck	Check database
111	en	Check Database structure	Check Database structure
112	en	eventlog	Eventlog
113	en	View the eventlog	View the eventlog
114	en	admin	admin
115	en	Change your details (e.g. password)	Change your details (e.g. password)
116	en	System Functions	System functions
117	en	Requeue	Requeue
118	en	Stalled	Stalled
119	en	still to process	still to process
120	en	ETA	ETA
121	en	Sent	Sent
122	en	processing	processing
123	en	msgs/hr	msgs/hr
124	en	Invalid value for email address	Invalid value for email address
125	en	error	Error
126	en	fatalerror	Fatal error
127	en	Documentation about this error	Documentation about this error
128	en	Main Page	Dashboard
129	en	about	about

130	en	In this section	In this section
131	en	Recently visited	Recently Visited
132	en	All Lists	All Lists
133	en	All Public Lists	All Public Lists
134	en	Add a list	Add a list
135	en	Uncategorised	Uncategorised
136	en	Public list	Public list
137	en	Private list	Private list
138	en	There are no lists available	There are no lists available
139	en	January	January
140	en	February	February
141	en	March	March
142	en	April	April
143	en	May	May
144	en	June	June
145	en	July	July
146	en	August	August
147	en	September	September
148	en	October	October
149	en	November	November
150	en	December	December
151	en	Jan	Jan
152	en	Feb	Feb
153	en	Mar	Mar
154	en	Apr	Apr
155	en	Jun	Jun
156	en	Jul	Jul
157	en	Aug	Aug
158	en	Sep	Sep
159	en	Oct	Oct
160	en	Nov	Nov
161	en	Dec	Dec
162	en	years	years
163	en	days	days
164	en	hours	hours
165	en	mins	minutes
166	en	secs	seconds
167	en	Attribute	Attribute
168	en	Placeholder	Placeholder
169	en	Listing %d to %d of %d	Listing %d to %d of %d
170	en	Listing %d to %d	Listing %d to %d
171	en	First Page	First Page
172	en	Previous	Previous
173	en	Next	Next
174	en	Last Page	Last Page
175	en	The plugin	The plugin
176	en	Invalid security token, please reload the page and try again	Invalid security token, please reload the page and try again
177	en	Invalid download URL, please reload the page and try again	Invalid download URL, please reload the page and try again
178	en	Fetching plugin	Fetching plugin

179	en	developer	Developer
180	en	Project	Project
181	en	Unable to download plugin package, check your connection	Unable to download plugin package, check your connection
182	en	Installing plugin	Installing plugin
183	en	updating existing plugin	updating existing plugin
184	en	new plugin	new plugin
185	en	Plugin installed successfully	Plugin installed successfully
186	en	Error installing plugin	Error installing plugin
187	en	continue	Continue
188	en	Plugin directory is not writable	Plugin directory is not writable
189	en	Invalid plugin package	Invalid plugin package
190	en	Plugin installation failed	Plugin installation failed
191	en	The plugin root directory is not writable, please install plugins manually	The plugin root directory is not writable, please install plugins manually
192	en	PHP has no Zip capability. This is required to allow installation from a remote URL	PHP has no Zip capability. This is required to allow installation from a remote URL
193	en	Install a new plugin	Install a new plugin
194	en	Find plugins	Find plugins
195	en	Plugin package URL	Plugin package URL
196	en	Install plugin	Install plugin
197	en	Installed plugins	Installed plugins
198	en	Name	Name
199	en	version	version
200	en	Description	Description
201	en	installed	installed
202	en	installation Url	installation Url
203	en	enabled	enabled
204	en	Initialise	Initialise
205	en	Delete	delete
206	en	delete this plugin	delete this plugin
207	en	update this plugin	update this plugin
208	en	update	update
209	en	Details	Details
210	en	Delete subscriber	Delete subscriber
211	en	unconfirm subscriber	unconfirm subscriber
212	en	blacklist subscriber	blacklist subscriber
213	en	blacklist email address	blacklist email address
214	en	delete subscriber and bounce	delete subscriber and bounce
215	en	unconfirm subscriber and delete bounce	unconfirm subscriber and delete bounce
216	en	blacklist subscriber and delete bounce	add subscriber to the do-not-send-list and delete bounce
217	en	blacklist email address and delete bounce	add email address to the do-no-send-list and delete bounce
218	en	delete bounce	delete bounce
219	en	Unnamed List	Unnamed list
220	en	Hello	Hello
221	en	You have requested a new password for phpList.	You have requested a new password for phpList.

222	en	To enter a new one, please visit the following link:	To enter a new one, please visit the following link:
223	en	You have 24 hours left to change your password. After that, your token won't be valid.	You have 24 hours left to change your password. After that, your token won't be valid.
224	en	New password	New password
225	en	A password change token has been sent to the corresponding email address.	A password change token has been sent to the corresponding email address.
226	en	Error sending password change token	Error sending password change token
227	en	unknown	unknown
228	en	very little time	very little time
229	en	This is the Newsletter Subject	This is the Newsletter Subject
230	en	A process for this page is already running and it was still alive %s seconds ago	A process for this page is already running and it was still alive %s seconds ago
231	en	Running commandline, quitting. We'll find out what to do in the next run.	Running commandline, quitting. We'll find out what to do in the next run.
232	en	Sleeping for 20 seconds, aborting will quit	Sleeping for 20 seconds, aborting will quit
233	en	We have been waiting too long, I guess the other process is still going ok	We have been waiting too long, I guess the other process is still going ok
234	en	Error, incorrect session token	Error, incorrect session token
235	en	Remote queue processing has been activated successfully	Remote queue processing has been activated successfully
236	en	View progress	View progress
237	en	Error activating remote queue processing	Error activating remote queue processing
238	en	The API key is incorrect	The API key is incorrect
239	en	The phpList.com server is unable to reach your phpList installation	The phpList.com server is unable to reach your phpList installation
240	en	Unknown error	Unknown error
241	en	Change Settings	Change settings
242	en	Run queue locally	Run queue locally
243	en	Sign up to receive news and updates about phpList	Sign up to receive news and updates about phpList
244	en	to make sure you are updated when new versions come out. Sometimes security bugs are found which make it important to upgrade. Traffic on the list is very low.	to make sure you are updated when new versions come out. Sometimes security bugs are found which make it important to upgrade. Traffic on the list is very low.
245	en	Subscribe	Subscribe
246	en	Do not subscribe	Do not subscribe
247	en	You do not have access to this page	You do not have access to this page
248	en	Download as CSV file	Download as CSV file
249	en	There are currently no messages to view	There are currently no campaigns to view
250	en	bncs	bncs
251	en	fwds	fwds
252	en	views	views
253	en	rate	rate
254	en	Date	Date
255	en	Comparison to other admins	Comparison to other admins
256	en	View all campaigns	View all campaigns
257	en	Campaign not found	Campaign not found
258	en	subject	subject
259	en	Date entered	Date entered

260	en	Date sent	Date sent
261	en	Sent as HTML	Sent as HTML
262	en	Sent as text	Sent as text
263	en	Bounced	Bounced
264	en	Opened	Opened
265	en	% Opened	% Opened
266	en	Clicked	Clicked
267	en	% Clicked	% Clicked
268	en	Forwarded	Forwarded
269	en	Sending message %d with subject %s to %s	Sending message %d with subject %s to %s
270	en	sendingtextonlyto	Sending text only to
271	en	Error sending message %d (%d/%d) to %s (%s)	Error sending message %d (%d/%d) to %s (%s)
272	en	Size of HTML email: %s	Size of HTML email: %s
273	en	Size of Text email: %s	Size of Text email: %s
274	en	Message too large (%s is over %s), suspending	Message too large (%s is over %s), suspending
275	en	Warning: the final message exceeds the sending limit, this campaign will fail sending. Reduce the size by removing attachments or images	Warning: the final message exceeds the sending limit, this campaign will fail sending. Reduce the size by removing attachments or images
276	en	Campaign %d suspended. Message too large	Campaign %d suspended. Message too large
277	en	Campaign %d suspended, message too large	Campaign %d suspended, message too large
278	en	Insufficient memory to add attachment to campaign %d %d - %d	Insufficient memory to add attachment to campaign %d %d - %d
279	en	Error, when trying to send campaign %d the attachment (%s) could not be copied to the repository. Check for permissions.	Error, when trying to send campaign %d the attachment (%s) could not be copied to the repository. Check for permissions.
280	en	phpList system error	phpList system error
281	en	failed to open attachment (%s) to add to campaign %d	failed to open attachment (%s) to add to campaign %d
282	en	Attachment %s does not exist	Attachment %s does not exist
283	en	Error, when trying to send campaign %d the attachment (%s) could not be found in the repository	Error, when trying to send campaign %d the attachment (%s) could not be found in the repository
284	en	Campaign %d suspended for too many errors with attachments	Campaign %d suspended for too many errors with attachments
285	en	import is not available	import is not available
286	en	No lists available	No lists available
287	en	add_list	Add a new list
288	en	Please enter details of the remote Server	Please enter details of the remote server
289	en	Server:	Server
290	en	User	Subscriber
291	en	Password:	Password
292	en	Database Name:	Database Name
293	en	Table prefix:	Table prefix
294	en	Ustable prefix:	Ustable prefix
295	en	select_lists	Select the lists
296	en	Copy lists from remote server (lists are matched by name)	Copy lists from remote server (lists are matched by name)
297	en	Mark new users as HTML:	Mark new subscribers as HTML

298	en	If you check \\\"Overwrite Existing\\\", information about a user in the database will be replaced by the imported information. Users are matched by email.	If you check \\\"Overwrite existing\\\", information about a subscriber in the database will be replaced by the imported information. Subscribers are matched by email.
299	en	Overwrite Existing:	Overwrite existing
300	en	Making connection with remote database	Making connection with remote database
301	en	cannot connect to remote database	Unable to connect to the remote database
302	en	Getting data from	Getting data from
303	en	Remote version is	Remote version is
304	en	Remote version has	Remote version has
305	en	No users to copy, is the prefix correct?	No subscribers to copy, is the prefix correct?
306	en	Lists	Lists
307	en	Copying lists	Copying lists
308	en	exists locally	exists locally
309	en	created locally	created locally
310	en	Remote list	Remote list
311	en	not created	not created
312	en	Copying attributes	Copying attributes
313	en	Copying users	Copying subscribers
314	en	Error, no mapped attribute for	Error, no mapped attribute for
315	en	Error, no local list defined for	Error, no local list defined for
316	en	done	done
317	en	new users	new subscribers
318	en	and	and
319	en	existing users	existing subscribers
320	en	Open Source	Open Source
321	en	How to get help	How to get help
322	en	How to help out	How to help out
323	en	phpList is Open Source software	phpList is Open Source software
324	en	The concept behind open source is collaboration. A loosely organised network of many contributors where the whole is greater than the sum of its parts.	The concept behind open source is collaboration. A loosely organised network of many contributors where the whole is greater than the sum of its parts.
325	en	If you are interested to know more about Open Source, you can visit the links below	If you are interested to know more about Open Source, you can visit the links below
326	en	Get help with phpList	Get help with phpList
327	en	To be written. In the meantime you can visit the support section on the phpList website	To be written. In the meantime you can visit the support section on the phpList website
328	en	Help out with phpList	Help out with phpList
329	en	To be written. In the meantime you can v visit the developers section on the phpList website	To be written. In the meantime you can v visit the developers section on the phpList website
330	en	This page can only be called from the commandline	This page can only be called from the commandline
331	en	Remote processing of the queue is now handled with a processing secret	Remote processing of the queue is now handled with a processing secret
332	en	Incorrect processing secret	Incorrect processing secret

333	en	Bounce processing error	Bounce processing error
334	en	Bounce Processing info	Bounce processing info
335	en	system message bounced, user marked unconfirmed	system message bounced, subscriber marked unconfirmed
336	en	Bounced system message	Bounced system message
337	en	User marked unconfirmed	Subscriber marked unconfirmed
338	en	View Bounce	View bounce
339	en	system message bounced, but unknown user	system message bounced, but unknown subscriber
340	en	Cannot create POP3 connection to	Cannot create POP3 connection to
341	en	Cannot open mailbox file	Cannot open mailbox file
342	en	bounces to fetch from the mailbox	bounces to fetch from the mailbox
343	en	Please do not interrupt this process	Please do not interrupt this process
344	en	bounces to process	bounces to process
345	en	processing first	processing first
346	en	Running in test mode, not deleting messages from mailbox	Running in test mode, not deleting messages from mailbox
347	en	Processed messages will be deleted from mailbox	Processed messages will be deleted from mailbox
348	en	Deleting message	Deleting message
349	en	Not deleting processed message	Not deleting processed message
350	en	Not deleting unprocessed message	Not deleting unprocessed message
351	en	Closing mailbox, and purging messages	Closing mailbox, and purging messages
352	en	IMAP is not included in your PHP installation, cannot continue	IMAP is not included in your PHP installation, cannot continue
353	en	Check out	Check out
354	en	Bounce mechanism not properly configured	Bounce mechanism not properly configured
355	en	bounce_protocol not supported	bounce_protocol not supported
356	en	%d bounces to reprocess	%d bounces to reprocess
357	en	%d out of %d processed	%d out of %d processed
358	en	%d bounces were re-processed and %d bounces were re-identified	%d bounces were re-processed and %d bounces were re-identified
359	en	Processing bounces based on active bounce rules	Processing bounces based on active bounce rules
360	en	Process Killed by other process	Process Killed by other process
361	en	Auto unconfirmed	Auto unconfirmed
362	en	Subscriber auto unconfirmed for	Subscriber auto unconfirmed for
363	en	bounce rule	bounce rule
364	en	Auto Blacklisted	Auto blacklisted
365	en	User auto blacklisted for	User auto blacklisted for
366	en	Auto Unsubscribed	Auto unsubscribed
367	en	User auto unsubscribed for	User auto unsubscribed for
368	en	email auto blacklisted for	email auto blacklisted for
369	en	email auto unsubscribed for	email auto unsubscribed for
370	en	bounces processed by advanced processing	bounces processed by advanced processing
371	en	bounces were not matched by advanced processing rules	bounces were not matched by advanced processing rules
372	en	Identifying consecutive bounces	Identifying consecutive bounces
373	en	Nothing to do	Nothing to do

374	en	User (url:%s) has consecutive bounces (%d) over threshold (%d), user marked unconfirmed	Subscriber (url:%s) has consecutive bounces (%d) over threshold (%d), subscriber marked unconfirmed
375	en	Subscriber auto unconfirmed for %d consecutive bounces	Subscriber auto unconfirmed for %d consecutive bounces
376	en	%d consecutive bounces, threshold reached, blacklisting subscriber	%d consecutive bounces, threshold reached, blacklisting subscriber
377	en	%d consecutive bounces, threshold reached	%d consecutive bounces, threshold reached
378	en	Processed %d out of %d subscribers	Processed %d out of %d subscribers
379	en	total of %d subscribers processed	total of %d subscribers processed
380	en	Report of advanced bounce processing:	Report of advanced bounce processing:
381	en	Below are users who have been marked unconfirmed. The in () is the number of consecutive bounces.	Below are subscribers who have been marked unconfirmed. The in () is the number of consecutive bounces.
382	en	Report:	Report:
383	en	Sorry, this page can only be used by super admins	Sorry, this page can only be used by super admins
384	en	Resending confirmation request to	Resending confirmation request to
385	en	user found	subscriber found
386	en	no user found	no subscriber found
387	en	unable to find original email	unable to find original email address
388	en	Marking all subscribers confirmed	Marking all subscribers confirmed
389	en	Marking all subscribers on list %s confirmed	Marking all subscribers on list %s confirmed
390	en	subscribers apply	subscribers apply
391	en	Creating UniqID for all subscribers who do not have one	Creating UniqID for all subscribers who do not have one
392	en	Marking all subscribers to receive HTML	Marking all subscribers to receive HTML
393	en	Marking all subscribers to receive text	Marking all subscribers to receive text
394	en	Deleting subscribers who are not on any list	Deleting subscribers who are not on any list
395	en	Moving subscribers who are not on any list to	Moving subscribers who are not on any list to
396	en	Deleting subscribers with more than	Deleting subscribers with more than
397	en	Blacklisting subscribers with more than	Blacklisting subscribers with more than
398	en	Resending request for confirmation to subscribers who signed up after	Resending request for confirmation to subscribers who signed up after
399	en	and before	and before
400	en	Deleting unconfirmed subscribers who signed up after	Deleting unconfirmed subscribers who signed up after
401	en	Trying to merge duplicates	Trying to merge duplicates
402	en	Don't know how to	Don't know how to
403	en	Trying to fix subscribers with an invalid email	Trying to fix subscribers with an invalid email address
404	en	subscribers fixed	subscribers fixed
405	en	subscribers could not be fixed	subscribers could not be fixed
406	en	Marking subscribers with an invalid email as unconfirmed	Marking subscribers with an invalid email as unconfirmed
407	en	subscribers updated	subscribers updated
408	en	Cleaning some user tables of invalid entries	Cleaning some user tables of invalid entries
409	en	entries apply	entries apply
410	en	Delete will delete user and all listmemberships	Delete will delete subscriber and all listmemberships
411	en	Subscribers	Subscribers

412	en	found	found
413	en	in the database	in the database
414	en	-All-	-All-
415	en	Mark all subscribers to receive HTML	Mark all subscribers to receive HTML
416	en	Mark all subscribers to receive text	Mark all subscribers to receive text
417	en	Mark all subscribers on list %s confirmed	Mark all subscribers on list %s confirmed
418	en	Click here	Click here
419	en	To move all subscribers who are not subscribed to any list to %s	To move all subscribers who are not subscribed to any list to %s
420	en	To delete all subscribers with more than	To delete all subscribers with more than
421	en	To blacklist all subscribers with more than	To blacklist all subscribers with more than
422	en	Note: this will use the total count of bounces on a subscriber, not consecutive bounces	Note: this will use the total count of bounces on a subscriber, not consecutive bounces
423	en	Delete subscribers who have an invalid email address	Delete subscribers who have an invalid email address
424	en	To delete subscribers who signed up and have not confirmed their subscription	To delete subscribers who signed up and have not confirmed their subscription
425	en	Date they signed up after	Date they signed up after
426	en	Date they signed up before	Date they signed up before
427	en	No such template	No such template
428	en	Images stored	Images stored
429	en	No images found	No images found
430	en	Template saved and ready for use in campaigns	Template saved and ready for use in campaigns
431	en	Image	Image
432	en	\\\"not full URL	not full URL
433	en	does not exist	does not exist
434	en	Not a full URL	Not a full URL
435	en	No Title	No title
436	en	Template does not contain the [CONTENT] placeholder	Template does not contain the [CONTENT] placeholder
437	en	Template saved	Template saved
438	en	Images	Images
439	en	Below is the list of images used in your template. If an image is currently unavailable, please upload it to the database.	Below is the list of images used in your template. If an image is currently unavailable, please upload it to the database.
440	en	This includes all images, also fully referenced ones, so you may choose not to upload some. If you upload images, they will be included in the campaigns that use this template.	This includes all images, also fully referenced ones, so you may choose not to upload some. If you upload images, they will be included in the campaigns that use this template.
441	en	Image name:	Image name
442	en	%d times used	%d times used
443	en	Save Images	Save images
444	en	Template was successfully saved	Template was successfully saved
445	en	Some errors were found, template NOT saved!	Some errors were found, template NOT saved!
446	en	Sending test	Sending test
447	en	Sending test \\\"Request for confirmation\\\" to	Sending test \\\"Request for confirmation\\\" to

448	en	ok	ok
449	en	failed	failed
450	en	Sending test \\ "Welcome\\" to	Sending test \\ "Welcome\\" to
451	en	Sending test \\ "Unsubscribe confirmation\\" to	Sending test \\ "Unsubscribe confirmation\\" to
452	en	Error sending test messages to	Error sending test messages to
453	en	List of Templates	List of templates
454	en	Title of this template	Title of this template
455	en	Content of the template.	Content of the template.
456	en	The content should at least have [CONTENT] somewhere.	The content should at least have [CONTENT] somewhere.
457	en	You can upload a template file or paste the text in the box below	You can upload a template file or paste the text in the box below
458	en	Template file.	Template file.
459	en	Check that all links have a full URL	Check that all links have a full URL
460	en	Check that all images have a full URL	Check that all images have a full URL
461	en	Check that all external images exist	Check that all external images exist
462	en	Save changes	Save changes
463	en	Send test message	Send test message
464	en	to email addresses	to email addresses
465	en	(comma separate addresses - all must be existing subscribers)	(comma separate addresses - all must be existing subscribers)
466	en	Send Test	Send test
467	en	deleting	deleting
468	en	No template have been defined	No template have been defined
469	en	Existing templates	Existing templates
470	en	ID	ID
471	en	Campaign Default	Campaign default
472	en	System	System
473	en	Add new Template	Add new template
474	en	Add default system template	Add default system template
475	en	Name cannot be empty:	Name cannot be empty
476	en	Name is not unique enough	Name is not unique enough
477	en	Existing attributes:	Existing attributes:
478	en	No Attributes have been defined yet	No attributes have been defined yet
479	en	Attribute:	Attribute:
480	en	Name:	Name:
481	en	Type	Type
482	en	Default Value:	Default value:
483	en	Order of Listing:	Order of listing:
484	en	Is this attribute required?:	Is this attribute required?:
485	en	Add a new Attribute:	Add a new attribute:
486	en	The settings have been reset to the phpList default	The settings have been reset to the phpList default
487	en	Invalid Request	invalid request
488	en	Are you sure you want to reset the configuration to the default?	Are you sure you want to reset the configuration to the default?
489	en	Reset to default	Reset to default
490	en	You can edit all of the values in this page, and click the \\ "save changes\\" button once to save all the changes you made.	You can edit all of the values in this page, and click the \\ "save changes\\" button once to save all the changes you made.

491	en	cannot be empty	cannot be empty
492	en	Changes saved	Changes saved
493	en	Changes not saved	Changes not saved
494	en	settings	settings
495	en	Yes	Yes
496	en	No	No
497	en	edit this value	edit this value
498	en	Edit	Edit
499	en	No Access	You do not have sufficient access
500	en	Remote queue processing settings were saved successfully	Remote queue processing settings were saved successfully
501	en	Error, the API key is incorrect	Error, the API key is incorrect
502	en	Process the queue using the service from phpList.com	Process the queue using the service from phpList.com
503	en	This is only possible if your phpList installation is not behind a firewall	This is only possible if your phpList installation is not behind a firewall
504	en	API key from phpList.com	API key from phpList.com
505	en	Continue setup	Continue setup
506	en	Blacklisted by	Blacklisted by
507	en	All done, %d emails processed %d emails blacklisted %d emails deleted %d emails not found	All done, %d emails processed %d emails blacklisted %d emails deleted %d emails not found
508	en	Remove more	Remove more
509	en	Mass remove email addresses	Mass remove email addresses
510	en	Check to also add the emails to the blacklist	Check to also add the emails to the blacklist
511	en	Paste the emails to remove in this box, and click continue	Paste the emails to remove in this box, and click continue
512	en	<pre>\\n----- ----- \\n This is a notification of a possible spam attack to your phplist subscribe page.\\n The data submitted has been copied below, so you can check whether this was actually the case.\\n The submitted data has been converted into non-html characters, for security reasons.\\n If you want to stop receiving this message, set \\n \\n define("\\NOTIFY_SPAM\\",0); \\n \\n in your phplist config file. \\n \\n This subscriber has NOT been added to the database. \\n If there is an error, you will need to add them manually.\\n-----</pre>	<pre>\\n----- ----- \\nThis is a notification of a possible spam attack to your phplist subscribe page.\\nThe data submitted has been copied below, so you can check whether this was actually the case. \\nThe submitted data has been converted into non-html characters, for security reasons.\\nIf you want to stop receiving this message, set \\n\\ndefine(NOTIFY_SPAM,0);\\n\\n in your phplist config file.\\nThis subscriber has not been added to the database.\\nIf there is an error, you will need to add them manually\\n\\n -----</pre>
513	en	phplist Spam blocked	phplist Spam blocked
514	en	Email is blacklisted, so request for confirmation has been sent.	Subscriber is blacklisted, so request for confirmation has been sent.
515	en	If user confirms subscription, they will be removed from the blacklist.	If subscriber confirms subscription, they will be removed from the blacklist.
516	en	Choose a message	Choose a campaign
517	en	Message	Message
518	en	Listing %s to %s	Listing %s to %s

519	en	total	total
520	en	Email	Email
521	en	Add a User	Add a subscriber
522	en	add	add
523	en	Members of	Members of
524	en	edit list details	edit list details
525	en	Download subscribers	Download subscribers
526	en	Import Subscribers to this list	Import subscribers to this list
527	en	subscribers were moved to	subscribers were moved to
528	en	subscribers were copied to	subscribers were copied to
529	en	subscribers were deleted from this list	subscribers were deleted from this list
530	en	The "\\list of all subscribers\\" is not a real list, but it gives you access to all subscribers in your system. There may be more subscribers in your system than are members of your lists.	The "\\list of all subscribers\\" is not a real list, but it gives you access to all subscribers in your system. There may be more subscribers in your system than are members of your lists.
531	en	Users found, click add to add this user	subscribers found, click add to add this subscriber
532	en	No user found with that email	No subscriber found with that email
533	en	add user	Add subscriber
534	en	Inserting user	Inserting subscriber
535	en	User added	Subscriber added
536	en	Removing %d from this list	Removing %d from this list
537	en	Listing subscriber %d to %d	Listing subscriber %d to %d
538	en	Listing subscriber 1 to 50	Listing subscriber 1 to 50
539	en	confirmed	confirmed
540	en	unconfirmed	unconfirmed
541	en	%d subscribers	%d subscribers
542	en	Tag all users in this page	Tag all subscribers in this page
543	en	Members	Members
544	en	Tag	Tag
545	en	Actions	Actions
546	en	What to do with "\\Tagged\\" users	What to do with "\\Tagged\\" subscribers
547	en	This will only process the users in this page that have the "\\Tag\\" checkbox checked	This will only process the subscribers in this page that have the "\\Tag\\" checkbox checked
548	en	from this list	from this list
549	en	Move	Move
550	en	to	to
551	en	Copy	Copy
552	en	Nothing	Nothing
553	en	What to do with all subscribers	What to do with all subscribers
554	en	This will process all subscribers on this list, confirmed and unconfirmed	This will process all subscribers on this list, confirmed and unconfirmed
555	en	do it	do it
556	en	Deleted	Deleted
557	en	subscribe pages	Subscribe pages
558	en	Title	Title
559	en	Owner	Owner
560	en	default	default
561	en	active	active

562	en	not active	not active
563	en	View	View
564	en	Add a new subscribe page	Add a new subscribe page
565	en	default login is	Default login is
566	en	with password	with password
567	en	In order to login, you need to enable cookies in your browser	In order to login, you need to enable cookies in your browser
568	en	Forgot password	Forgot Password?
569	en	Enter your email address	Enter your email address
570	en	Send password	Send Password
571	en	Your password was changed succesfully	Your password was changed successfully
572	en	The passwords you entered are not the same.	The passwords you entered are not the same.
573	en	You have requested a password update	You have requested a password update
574	en	Confirm password	confirm password
575	en	Unknown token or time expired (More than 24 hrs. passed since the notification email was sent)	Unknown token or time expired (More than 24 hrs. passed since the notification email was sent)
576	en	password	Password
577	en	phplist test suite	phplist test suite
578	en	Test passed	Test passed
579	en	Test failed	Test failed
580	en	Tests available	Tests available
581	en	Purpose	Purpose
582	en	Sort by	Sort by
583	en	Ascending	Ascending
584	en	Descending	Descending
585	en	Embargo	Embargo
586	en	draft	draft
587	en	static	static
588	en	Go	Go
589	en	Clear	Clear
590	en	Requeueing	Requeueing
591	en	This campaign is scheduled to stop sending in the past. No mails will be sent.	This campaign is scheduled to stop sending in the past. No mails will be sent.
592	en	Review Scheduling	Review scheduling
593	en	Suspending	Suspending
594	en	Marking as sent	Marking as sent
595	en	Suspending all	Suspending all
596	en	Marking all as sent	Marking all as sent
597	en	Campaigns	Campaigns
598	en	Status	Status
599	en	viewed	viewed
600	en	Unique Views	Unique Views
601	en	clicks	clicks
602	en	Time to send	Time to send
603	en	Text	Text
604	en	HTML	HTML
605	en	PDF	PDF
606	en	both	both
607	en	Suspend	Suspend

608	en	Mark sent	Mark sent
609	en	Mark sent	Mark sent
610	en	Are you sure you want to delete this campaign?	Are you sure you want to delete this campaign?
611	en	delete this campaign	delete this campaign
612	en	Statistics	Statistics
613	en	action	action
614	en	Suspend All	Suspend all
615	en	Mark All Sent	Mark all sent
616	en	No such attribute:	No such attribute
617	en	This datatype does not have editable values	This datatype does not have editable values
618	en	Back to attributes	Back to attributes
619	en	Add new	Add new
620	en	Are you sure you want to delete all values?	Are you sure you want to delete all values?
621	en	Alternatively you can replace all values with another one:	Alternatively you can replace all values with another one:
622	en	Replace with	Replace with
623	en	Delete and replace	Delete and replace
624	en	Cannot delete	Cannot delete
625	en	The following subscriber(s) are dependent on this value Update the subscriber profiles to not use this attribute value and try again	The following subscriber(s) are dependent on this value Update the subscriber profiles to not use this attribute value and try again
626	en	* Too many to list, total dependencies:	* Too many to list, total dependencies:
627	en	* Too many errors, quitting	* Too many errors, quitting
628	en	one per line	one per line
629	en	Change order	Change order
630	en	Converting to UTF-8 requires sufficient disk space on your system.	Converting to UTF-8 requires sufficient disk space on your system.
631	en	The maximum table size in your system is %s and space available on the root filesystem is %s, which means %s is required.	The maximum table size in your system is %s and space available on the root filesystem is %s, which means %s is required.
632	en	This is not a problem if your Database server is on a different filesystem. Click the button to continue.	This is not a problem if your Database server is on a different filesystem. Click the button to continue.
633	en	Otherwise, free up some disk space and try again	Otherwise, free up some disk space and try again
634	en	Confirm UTF8 conversion	Confirm UTF8 conversion
635	en	Converting DB to use UTF-8, please wait	Converting DB to use UTF-8, please wait
636	en	Upgrading the database to use UTF-8, please wait	Upgrading the database to use UTF-8, please wait
637	en	Upgrading table	Upgrading table
638	en	Upgrading column	Upgrading column
639	en	upgrade to UTF-8, done	upgrade to UTF-8, done
640	en	Unable to determine the name of the database to convert	Unable to determine the name of the database to convert
641	en	The DB was already converted to UTF-8 on	The DB was already converted to UTF-8 on
642	en	All done	All done
643	en	Access Denied	Access denied
644	en	Send Campaign	Send campaign

645	en	You should not paste the results of a test message back into the editor This will break the click-track statistics, and overload the server.	You should not paste the results of a test message back into the editor This will break the click-track statistics, and overload the server.
646	en	Warning: You indicated the content was not HTML, but there were some HTML tags in it. This may cause errors	Warning: You indicated the content was not HTML, but there were some HTML tags in it. This may cause errors
647	en	You are trying to send a remote URL, but PEAR::HTTP_Request or CURL is not available, so this will fail	You are trying to send a remote URL, but PEAR::HTTP_Request or CURL is not available, so this will fail
648	en	Mime Type is longer than 255 characters, this is trouble	Mime Type is longer than 255 characters, this will cause problems
649	en	Attachment %d succesfully added	Attachment %d succesfully added
650	en	Adding attachment %d failed	Adding attachment %d failed
651	en	Uploaded file not properly received, empty file	Uploaded file not properly received, empty file
652	en	Adding attachment	Adding attachment
653	en	Campaign saved as draft	Campaign saved as draft
654	en	Campaign added	Campaign added
655	en	This campaign is scheduled to stop sending before the embargo time. No mails will be sent.	This campaign is scheduled to stop sending before the embargo time. No mails will be sent.
656	en	Campaign queued	Campaign queued
657	en	Sorry, you used invalid characters in the Subject field.	Sorry, you used invalid characters in the \\\"subject\\\" field.
658	en	Sorry, you used invalid characters in the From field.	Sorry, you used invalid characters in the \\\"from\\\" field.
659	en	Please enter a from line.	Please enter a from line.
660	en	Please enter a message	Please add some content
661	en	Please enter a subject	Please enter a subject
662	en	Error: you can use an attribute in one rule only	Error: you can use an attribute in one rule only
663	en	Please select the list(s) to send the campaign to	Please select the list(s) to send the campaign to
664	en	You can send a test mail once every %d seconds	You can send a test mail once every %d seconds
665	en	Sending test mails is currently not available	Sending test mails is currently not available
666	en	No target email addresses listed for testing.	No target email addresses listed for testing.
667	en	There is a maximum of %d test emails allowed	There is a maximum of %d test emails allowed
668	en	Sent test mail to	Sent test mail to
669	en	Success	Success
670	en	Email address not found to send test message.	Email address not found to send test message.
671	en	Removed Attachment	Removed attachment
672	en	Content	Content
673	en	Forward	Forward
674	en	Format	Format
675	en	Attach	Attach
676	en	Scheduling	Scheduling
677	en	Finish	Finish

678	en	What is prepare a message	What is prepare a message
679	en	From Line	From line
680	en	Send a Webpage	Send a webpage
681	en	Compose Message	Compose message
682	en	Send a Webpage - URL	Send a webpage - URL
683	en	phpList operates in the time zone "\\ "%s\\"	phpList operates in the time zone "\\ "%s\\"
684	en	Dates and times are relative to the Server Time	Dates and times are relative to the Server Time
685	en	Current Server Time is	Current Server Time is
686	en	Embargoed Until	Embargoed until
687	en	Stop sending after	Stop sending after
688	en	Repeat campaign every	Repeat campaign every
689	en	no repetition	no repetition
690	en	hour	hour
691	en	day	day
692	en	week	week
693	en	fortnight	fortnight
694	en	four weeks	four weeks
695	en	Repeat Until	Repeat until
696	en	Requeue every	Requeue every
697	en	do not requeue	do not requeue
698	en	Requeue Until	Requeue until
699	en	Send as	Send as
700	en	Use Template	Use template
701	en	select one	select one
702	en	Plain text version of message	Plain text version of message
703	en	generate from HTML	generate from HTML
704	en	Footer	Footer
705	en	forwardfooter	Forward footer
706	en	Add attachments to your campaign	Add attachments to your campaign
707	en	The upload has the following limits set by the server	The upload has the following limits set by the server
708	en	Maximum size of total data being sent to the server	Maximum size of total data being sent to the server
709	en	Maximum size of each individual file	Maximum size of each individual file
710	en	Current Attachments	Current attachments
711	en	Filename	Filename
712	en	desc	desc
713	en	Size	Size
714	en	file	file
715	en	Delete checked	Delete checked
716	en	The total size of attachments is very large. Sending this campaign may fail due to resource limits.	The total size of attachments is very large. Sending this campaign may fail due to resource limits.
717	en	New Attachment	New attachment
718	en	Add (and save)	Add (and save)
719	en	or	or
720	en	Path to file on server	Path to file on server
721	en	Description of attachment	Description of attachment
722	en	to email address(es)	to email address(es)

723	en	email to alert when sending of this message starts	email to alert when sending of this message starts
724	en	separate multiple with a comma	separate multiple with a comma
725	en	email to alert when sending of this message has finished	email address to alert when sending of this campaign has finished
726	en	add Google Analytics tracking code	add Google Analytics tracking code
727	en	Reset click statistics	Reset click statistics
728	en	This is a test campaign	This is a test campaign
729	en	Estimated size of HTML email	Estimated size of HTML message
730	en	Estimated size of text email	Estimated size of text message
731	en	Estimated size of mailout	Estimated size of mailout
732	en	About %d users to receive HTML and %s users to receive text version of email	About %d subscribers to receive HTML version and %s subscribers to receive text version
733	en	subject missing	subject missing
734	en	message content missing	message content missing
735	en	From missing	From missing
736	en	destination lists missing	destination lists missing
737	en	Content contains click track links.	Content contains click track links.
738	en	Some required information is missing. The send button will be enabled when this is resolved.	Some required information is missing. The send button will be enabled when this is resolved.
739	en	Save as draft	Save as draft
740	en	Save and continue editing	Save and continue editing
741	en	Existing subscribers	Existing subscribers
742	en	Non existing subscribers	Non existing subscribers
743	en	key	key
744	en	What is the type of information you want to check	What is the type of information you want to check
745	en	Foreign Key	Foreign Key
746	en	Paste the values to check in this box, one per line	Paste the values to check in this box, one per line
747	en	Please select a message to display	Please select a message to display
748	en	campaign requeued	Campaign re-queued
749	en	No such message	No such message
750	en	Edit this message	Edit this campaign
751	en	Editing an active or finished campaign will place it back in the draft queue, continue?	Editing an active or finished campaign will place it back in the draft queue, continue?
752	en	Edit campaign	Edit campaign
753	en	Attachments for this message	Attachments for this message
754	en	No attachments	No attachments
755	en	Mime Type	Mime Type
756	en	This campaign has been sent to subscribers, who are member of the following lists	This campaign has been sent to subscribers, who are member of the following lists
757	en	None yet	None yet
758	en	Except when they were also member of these lists	Except when they were also member of these lists
759	en	Send this (same) message to (a) new list(s)	Send this (same) message to (a) new list(s)
760	en	Note: this message has already been sent to all lists. To resend it to new users use the \\"Requeue\\" function.	Note: this message has already been sent to all lists. To resend it to new subscribers use the \\"requeue\\" function.

761	en	Resend	Resend
762	en	%s left until embargo	%s left until embargo
763	en	limit reached	limit reached
764	en	next batch of %s in %s	next batch of %s in %s
765	en	Waiting	Waiting
766	en	Send the queue	Send the queue
767	en	Check status	Check status
768	en	Deleting subscribers with an invalid email	Deleting subscribers with an invalid email address
769	en	subscribers deleted	subscribers deleted
770	en	Editing	Editing
771	en	Don't know how to handle type	Don't know how to handle type
772	en	Reading emails from file ...	Reading emails from file ...
773	en	ok, %d lines	ok, %d lines
774	en	Record has no email	Record has no email
775	en	clear value	clear value
776	en	New Attribute	New Attribute
777	en	Skip value	Skip value
778	en	duplicate	duplicate
779	en	Duplicate Email	Duplicate Email
780	en	user imported as	subscriber imported as
781	en	All the emails already exist in the database and are member of the lists	All the emails already exist in the database and are member of the lists
782	en	%s emails succesfully imported to the database and added to %d lists.	%s emails succesfully imported to the database and added to %d lists.
783	en	%d emails subscribed to the lists	%d emails subscribed to the lists
784	en	%s emails already existed in the database	%s emails already existed in the database
785	en	%d Invalid Emails found.	%d Invalid Emails found.
786	en	These records were added, but the email has been made up from	These records were added, but the email has been made up from
787	en	These records were deleted. Check your source and reimport the data. Duplicates will be identified.	These records were deleted. Check your source and reimport the data. Duplicates will be identified.
788	en	%d duplicate emails found.	%d duplicate emails found.
789	en	Subscriber data was updated for %d subscribers	Subscriber data was updated for %d subscribers
790	en	%s emails were on the blacklist and have not been added to the lists	%s emails were on the blacklist and have not been added to the lists
791	en	%d subscribers were matched by foreign key, %d by email	%d subscribers were matched by foreign key, %d by email
792	en	phplist Import Results	phplist Import Results
793	en	Import some more emails	Import some more emails
794	en	Sample Newsletter Content	Sample newsletter content
795	en	File not found	File not found
796	en	Import of existing subscriber	Import of existing subscriber
797	en	Import of new subscriber	Import of new subscriber
798	en	No data changed	No data changed
799	en	List subscriptions:	List subscriptions:
800	en	Was subscribed to:	Was subscribed to:
801	en	Is now subscribed to:	Is now subscribed to:
802	en	Not subscribed to any lists	Not subscribed to any lists

803	en	Import by	Import by
804	en	new email was	new email was
805	en	new emails were	new emails were
806	en	email was	email was
807	en	emails were	emails were
808	en	%d emails already existed in the database	%d emails already existed in the database
809	en	All the emails already exist in the database.	All the emails already exist in the database.
810	en	succesfully imported to the database and added to	succesfully imported to the database and added to
811	en	subscribed to the	subscribed to the
812	en	Manually blacklisted by %s	Manually blacklisted by %s
813	en	Unable to fetch list of languages, please check your network or try again later	Unable to fetch list of languages, please check your network or try again later
814	en	updated %d language terms	updated %d language terms
815	en	Network error updating language, please try again later	Network error updating language, please try again later
816	en	phpList Export on %s from %s to %s (%s).csv	phpList subscribers on %s from %s to %s (%s).csv
817	en	phpList Export from %s to %s (%s).csv	phpList subscribers from %s to %s (%s).csv
818	en	List Membership	List Membership
819	en	Email address added	Email address added
820	en	Adding email address failed	Adding email address failed
821	en	Unable get lock for processing	Unable get lock for processing
822	en	Error processing	Error processing
823	en	Giving a Unique ID to %d subscribers, this may take a while	Giving a Unique ID to %d subscribers, this may take a while
824	en	The following restrictions have been set by your ISP:	The following restrictions have been set by your ISP:
825	en	Maximum time for queue processing	Maximum time for queue processing
826	en	Running in safe mode	Running in safe mode
827	en	Script stage	Script stage
828	en	Finished, Nothing to do	Finished, Nothing to do
829	en	Calculating	Calculating
830	en	messages sent in	messages sent in
831	en	seconds	seconds
832	en	%d invalid email addresses	%d invalid email addresses
833	en	%d failed (will retry later)	%d failed (will retry later)
834	en	%d emails unconfirmed (not sent)	%d emails unconfirmed (not sent)
835	en	Warning: script never reached stage 5	Warning: script never reached stage 5
836	en	This may be caused by a too slow or too busy server	This may be caused by a too slow or too busy server
837	en	Less than batch size were sent, so reloading imminently	Less than batch size were sent, so reloading imminently
838	en	Waiting for %d seconds before reloading	Waiting for %d seconds before reloading
839	en	Finished, All done	Finished, All done
840	en	Script finished, but not all messages have been sent yet.	Script finished, but not all messages have been sent yet.
841	en	Maillist errors	Maillist errors
842	en	Maillist Processing info	Maillist Processing info
843	en	Finished this run	Finished this run
844	en	To stop receiving these reports read:	To stop receiving these reports read:

845	en	(test)	(test)
846	en	Would have sent	Would have sent
847	en	Started	Started
848	en	Time now	Time now
849	en	Processing blocked by plugin %s	Processing blocked by plugin %s
850	en	Processing has been suspended by your ISP, please try again later	Processing has been suspended by your ISP, please try again later
851	en	In safe mode, batches are set to a maximum of 100	In safe mode, batches are set to a maximum of 100
852	en	Sending in batches of %d messages	Sending in batches of %d messages
853	en	This batch will be %d emails, because in the last %d seconds %d emails were sent	This batch will be %d emails, because in the last %d seconds %d emails were sent
854	en	Sending in batches of %d emails	Sending in batches of %d emails
855	en	In the last %d seconds more emails were sent (%d) than is currently allowed per batch (%d)	In the last %d seconds more emails were sent (%d) than is currently allowed per batch (%d)
856	en	Sent in last run	Sent in last run
857	en	Skipped in last run	Skipped in last run
858	en	Processing has started,	Processing has started,
859	en	One campaign to process.	One campaign to process.
860	en	%d campaigns to process.	%d campaigns to process.
861	en	Please leave this window open.	Please leave this window open.
862	en	phpList will process your queue until all messages have been sent.	phpList will process your queue until all messages have been sent.
863	en	This may take a while	This may take a while
864	en	Report of processing will be sent by email	Report of processing will be sent by email
865	en	sending of this campaign will stop, if it is still going in %s	sending of this campaign will stop, if it is still going in %s
866	en	Error loading message, please check the eventlog for details	Error loading message, please check the eventlog for details
867	en	Campaign started	Campaign started
868	en	phplist has started sending the campaign with subject %s	phplist has started sending the campaign with subject %s
869	en	to view the progress of this campaign, go to http://%s	to view the progress of this campaign, go to http://%s
870	en	Processing message	Processing message
871	en	Looking for users	Looking for subscribers
872	en	users apply for attributes, now checking lists	subscribers apply for attributes, now checking lists
873	en	No users apply for attributes	No subscribers apply for attributes
874	en	looking for users who can be excluded from this mailing	looking for subscribers who can be excluded from this mailing
875	en	Warning, finding the subscribers to send out to takes a long time, consider changing to commandline sending	Warning, finding the subscribers to send out to takes a long time, consider changing to commandline sending
876	en	Found them	Found them
877	en	to process	to process
878	en	No users to process for this batch	No subscribers to process for this batch
879	en	Processing batch of	Processing batch of
880	en	batch limit reached	batch limit reached

881	en	queue processing time has exceeded max processing time	queue processing has exceeded maximum processing time
882	en	Campaign sending timed out, is past date to process until	Campaign sending timed out, is past date to process until
883	en	Message I was working on has disappeared	Message I was working on has disappeared
884	en	Sending of this message has been suspended	Sending of this message has been suspended
885	en	There have been more than 10 attempts to send to %s that have been blocked for domain throttling.	There have been more than 10 attempts to send to %s that have been blocked for domain throttling.
886	en	Introducing extra delay to decrease throttle failures	Introducing extra delay to decrease throttle failures
887	en	%s is currently over throttle limit of %d per %d seconds	%s is currently over throttle limit of %d per %d seconds
888	en	Sending	Sending
889	en	Warning: a lot of errors while sending campaign %d	Warning: a lot of errors while sending campaign %d
890	en	It took	It took
891	en	seconds to send	seconds to send
892	en	Failed sending to	Failed sending to
893	en	waiting for %.1f seconds to meet target of %s seconds per message	waiting for %.1f seconds to meet target of %s seconds per message
894	en	Not sending to	Not sending to
895	en	Unconfirmed user	Unconfirmed subscriber
896	en	Invalid email address	Invalid email address
897	en	Subscriber marked unconfirmed for invalid email address	Subscriber marked unconfirmed for invalid email address
898	en	Marked unconfirmed while sending campaign %d	Marked unconfirmed while sending campaign %d
899	en	already sent	already sent
900	en	Hmmm, No users found to send to	Hmmm, No subscribers found to send to
901	en	Message campaign finished	Campaign finished
902	en	phpList has finished sending the campaign with subject %s	phpList has finished sending the campaign with subject %s
903	en	to view the results of this campaign, go to http://%s	to view the progress of this campaign, go to http://%s
904	en	to send this message	to send this message
905	en	Error fetching URL	Error fetching URL
906	en	Check your "\\\"remoturl_append\\\" setting.	Check your "\\\"remoturl_append\\\" setting.
907	en	URL is valid	URL is valid
908	en	Please verify that the URL entered is correct.	Please verify that the URL entered is correct.
909	en	Top level domains were updated successfully	Top level domains were updated successfully
910	en	You are trying to send a remote URL, but PEAR::HTTP_Request is not available, so this will fail	You are trying to send a remote URL, but PEAR::HTTP_Request is not available, so this will fail
911	en	Test email not set	Test email address not set
912	en	Sending HTML version to	Sending HTML version to
913	en	Sending Text version to	Sending text version to
914	en	Note: Links in emails will not work, because this is a test message, which is deleted after sending	Note: Links in emails will not work, because this is a test message, which is deleted after sending
915	en	Check your INBOX to see if all worked ok	Check your INBOX to see if all worked ok

916	en	over treshold, user marked unconfirmed	over treshold, subscriber marked unconfirmed
917	en	All done, %d emails processed, %d emails marked unconfirmed, %d emails blacklisted 	All done, %d emails processed, %d emails marked unconfirmed, %d emails blacklisted
918	en	Add more	Add more
919	en	Manage suppression list	Manage suppression list
920	en	Make suppression permanent	Make suppression permanent
921	en	Paste the emails to mark unconfirmed in this box, and click continue	Paste the emails to mark unconfirmed in this box, and click continue
922	en	Deleted all entries older than 2 months	Deleted all entries older than 2 months
923	en	Deleted all entries	Deleted all entries
924	en	Events	Events
925	en	Are you sure you want to delete all events older than 2 months?	Are you sure you want to delete all events older than 2 months?
926	en	Delete all (> 2 months old)	Delete all (> 2 months old)
927	en	Are you sure you want to delete all events matching this filter?	Are you sure you want to delete all events matching this filter?
928	en	No events available	No events available
929	en	Filter	Filter
930	en	Exclude filter	Exclude filter
931	en	page	page
932	en	Initialising language	Initialising language
933	en	Up to date	Up to date
934	en	Categorise lists	Categorise lists
935	en	All subscribers	All subscribers
936	en	Confirmed members	Confirmed members
937	en	Unconfirmed members	Unconfirmed members
938	en	View Members	View members of this list
939	en	This is a system list. You cannot delete it.	This is a system list. You cannot delete it.
940	en	delete this list	delete this list
941	en	start a new campaign targetting all lists	start a new campaign targetting all lists
942	en	Add Members	Add members
943	en	You seem to have quite a lot of lists, do you want to organise them in categories?	You seem to have quite a lot of lists, do you want to organise them in categories?
944	en	Great idea!	Great idea!
945	en	Public	Public
946	en	order	order
947	en	Are you sure you want to delete this list?	Are you sure you want to delete this list?
948	en	Edit this list	Edit this list
949	en	start a new campaign targetting this list	start a new campaign targetting this list
950	en	No lists, use Add List to add one	No lists, use Add List to add one
951	en	Back to edit template	Back to edit template
952	en	Database structure check	Database structure check
953	en	Database structure	Database structure
954	en	you only have privileges to view this page, not change any of the information	you only have privileges to view this page, not change any of the information
955	en	Delete will remove subscriber from the list	Delete will remove subscriber from the list
956	en	Delete will remove subscriber from the system	Delete will remove subscriber from the system

957	en	Error adding subscriber, please check that the subscriber exists	Error adding subscriber, please check that the subscriber exists
958	en	Uploaded avatar file too big	Uploaded avatar file too big
959	en	Subscriber added to group	Subscriber added to group
960	en	Subscriber removed from list %s	Subscriber removed from list %s
961	en	Subscriber added to list %s	Subscriber added to list %s
962	en	(no data)	(no data)
963	en	changed from	changed from
964	en	Subscribed to %s	Subscribed to %s
965	en	Unsubscribed from %s	Unsubscribed from %s
966	en	Update by %s	Update by %s
967	en	Subscriber removed from group	Subscriber removed from group
968	en	No such subscriber	No such subscriber
969	en	No Lists	No Lists
970	en	History	History
971	en	Are you sure you want to remove this subscriber from the system.	Are you sure you want to remove this subscriber from the system.
972	en	remove subscriber	remove subscriber
973	en	Add a new subscriber	Add a new subscriber
974	en	Email address	Email address
975	en	Add to blacklist	Add to blacklist
976	en	Remove from blacklist	Remove from blacklist
977	en	Subscriber is blacklisted. No emails will be sent to this email address.	Subscriber is blacklisted. No emails will be sent to this email address.
978	en	Mailinglist membership	Mailinglist membership
979	en	Group Membership	Group membership
980	en	Please select the groups this subscriber is a member of	Please select the groups this subscriber is a member of
981	en	Groups	Groups
982	en	Email is a system attribute	Email is a system attribute
983	en	Converting %s from %s to %s	Converting %s from %s to %s
984	en	Cannot delete attribute, it is being used by the following forms:	Cannot delete attribute, it is being used by the following forms:
985	en	cannot merge just one attribute	cannot merge just one attribute
986	en	Merging %s into %d	Merging %s into %d
987	en	Can only merge attributes of the same type	Can only merge attributes of the same type
988	en	Sorry, merging of checkbox groups is not implemented yet	Sorry, merging of checkbox groups is not implemented yet
989	en	Warning, changing types of attributes can take a long time	Warning, changing types of attributes can take a long time
990	en	Load data from	Load data from
991	en	predefined defaults	predefined defaults
992	en	Existing attributes	Existing attributes
993	en	used in	used in
994	en	forms	forms
995	en	authoritative list	authoritative list
996	en	edit values	edit values
997	en	Default Value	Default Value
998	en	order of listing	order of listing
999	en	Is this attribute required ?	Is this attribute required?
#	en	Delete tagged attributes	Delete tagged attributes

#	en	Merge tagged attributes	Merge tagged attributes
#	en	Add new Attribute	Add new Attribute
#	en	Is this attribute required?	Is this attribute required?
#	en	Your privileges for this page are insufficient	Your privileges for this page are insufficient
#	en	Delete will delete user from the list	Delete will delete subscriber from the list
#			
#	en	Sorry, only super users can delete users	Sorry, only super users can delete subscribers
#	en	%s users in total	%s subscribers in total
#		Users marked red are	Subscribers marked red are
#	en	unconfirmed	unconfirmed
#	en	Show only unconfirmed users	Show only unconfirmed subscribers
#	en	Show only blacklisted users	Show only blacklisted subscribers
#	en	asc	asc
#	en	Listing user %d to %d	Listing subscriber %d to %d
#	en	Find a user	Find a subscriber
#	en	Reset	Reset
#	en	Find subscribers	Find subscribers
#	en	Download all users as CSV file	Download all subscribers in a CSV file
#	en	msgs	msgs
#	en	no results	no results
#	en	No users apply	No subscribers apply
#		The temporary directory for uploading (%s) is not	The temporary directory for uploading (%s) is not
#	en	writable, so import will fail	writable, so import will fail
#		The maximum POST size is smaller than the	The maximum POST size is smaller than the
#		maximum upload filesize. If your upload file is too	maximum upload filesize. If your upload file is too
#		large, import will fail. See the PHP documentation	large, import will fail. See the PHP documentation
#	en	at <a %s\""="" href="\">%s	at <a %s\""="" href="\">%s
#	en	Import cleared	Import cleared
#		Are you sure you want to reset the import	Are you sure you want to reset the import
#	en	session?	session?
#	en	Reset Import session	Reset Import session
#	en	File is either too large or does not exist.	File is either too large or does not exist.
#			
#	en	No file was specified. Maybe the file is too big?	No file was specified. Maybe the file is too big?
#		Please upload a plain text file only. You cannot	Please upload a plain text file only. You cannot
#		use a spreadsheet. You need to export the data	use a spreadsheet. You need to export the data
#		from the spreadsheet into a TAB delimited text	from the spreadsheet into a TAB delimited text
#	en	file	file
#			
#	en	File too big, please split it up into smaller ones	File too big, please split it up into smaller ones
#		Please choose whether to sign up immediately or	Please choose whether to sign up immediately or
#	en	to send a notification	to send a notification
#	en	Cannot read %s. file is not readable !	Cannot read %s. file is not readable !
#		Something went wrong while uploading the file.	Something went wrong while uploading the file.
#		Empty file received. Maybe the file is too big, or	Empty file received. Maybe the file is too big, or
#	en	you have no permissions to read it.	you have no permissions to read it.
#	en	Create new one	Create new one
#	en	Skip Column	Skip Column
#	en	Import Attributes	Import Attributes
#	en	select	select

#		Please identify the target of the following unknown columns	Please identify the target of the following unknown columns
#	en	Cannot find column with email, you need to map at least one column to "\\Email\\"	Cannot find column with email, you need to map at least one column to "\\Email\\"
#	en	summary	summary
#	en	maps to	maps to
#	en	Create new Attribute	Create new Attribute
#	en	none	none
#	en	%d lines will be imported	%d lines will be imported
#	en	Confirm Import	Confirm Import
#	en	Test output	Test output
#			
#	en	Importing %d subscribers to %d lists, please wait	Importing %d subscribers to %d lists, please wait
#		Test output If the output looks ok, click %s to submit for real	Test output If the output looks ok, click %s to submit for real
#	en	Adding users to list	Adding subscribers to list
#	en	Select the lists to add the emails to	Select the lists to add the emails to
#	en	Select the groups to add the users to	Select the groups to add the subscribers to
#	en	automatically added	automatically added
#			
#		The file you upload will need to have the attributes of the records on the first line. Make sure that the email column is called "\\email\\" and not something like "\\e-mail\\" or "\\Email Address\\". Case is not important. If you have a column called "\\Foreign Key\\", this will be used for synchronisation between an external database and the phpList database. The foreignkey will take precedence when matching an existing subscriber. This will slow down the import process. If you use this, it is allowed to have records without email, but an "\\Invalid Email\\" will be created instead. You can then do a search on "\\invalid email\\" to find those records. Maximum size of a foreign key is 100. Warning: the file needs to be plain text. Do not upload binary files like a Word Document.	<p class=information>The file you upload will need to have the attributes of the records on the first line. Make sure that the email column is called email and not something like e-mail or Email Address. Case is not important. </p> If you have a column called Foreign Key, this will be used for synchronisation between an external database and the phpList database. The foreignkey will take precedence when matching an existing subscriber. This will slow down the import process. If you use this, it is allowed to have records without email, but an Invalid Email will be created instead. You can then do a search on invalid email to find those records. Maximum size of a foreign key is 100. Warning: the file needs to be plain text. Do not upload binary files like a Word Document.
#	en	File containing emails	File containing emails
#		The following limits are set by your server: Maximum size of a total data sent to server: %s Maximum size of each individual file: %s	The following limits are set by your server: Maximum size of a total data sent to server: %s Maximum size of each individual file: %s
#	en	phpList will not process files larger than %dMB	 phpList will not process files larger than %dMB
#	en	Field Delimiter	Field Delimiter
#	en	default is TAB	default is TAB
#	en	Record Delimiter	Record Delimiter
#	en	default is line break	default is line break

# # # # # #	en	If you check \\\"Test Output\\\", you will get the list of parsed emails on screen, and the database will not be filled with the information. This is useful to find out whether the format of your file is correct. It will only show the first 50 records.	If you check Test Output, you will get the list of parsed emails on screen, and the database will not be filled with the information. This is useful to find out whether the format of your file is correct. It will only show the first 50 records.
# # # # #	en	If you check \\\"Show Warnings\\\", you will get warnings for invalid records. Warnings will only be shown if you check \\\"Test Output\\\". They will be ignored when actually importing.	If you check Show Warnings, you will get warnings for invalid records. Warnings will only be shown if you check Test Output. They will be ignored when actually importing.
#	en	Show Warnings	Show Warnings
# # # # # #	en	If you check \\\"Omit Invalid\\\", invalid records will not be added. Invalid records are records without an email. Any other attributes will be added automatically, ie if the country of a record is not found, it will be added to the list of countries.	If you check \\\"Omit Invalid\\\", invalid records will not be added. Invalid records are records without an email. Any other attributes will be added automatically, ie if the country of a record is not found, it will be added to the list of countries.
#	en	Omit Invalid	Omit Invalid
# # # # # # #	en	Assign Invalid will be used to create an email for subscribers with an invalid email address. You can use values between [and] to make up a value for the email. For example if your import file contains a column \\\"First Name\\\" and one called \\\"Last Name\\\", you can use \\\"[first name] [last name]\\\" to construct a new value for the email for this subscriber containing their first name and last name. The value [number] can be used to insert the sequence number for importing.	Assign Invalid will be used to create an email for subscribers with an invalid email address. You can use values between [and] to make up a value for the email. For example if your import file contains a column First Name and one called Last Name, you can use [first name] [last name] to construct a new value for the email for this subscriber containing their first name and last name. The value [number] can be used to insert the sequence number for importing.
#	en	Assign Invalid	Assign Invalid
# # # # #	en	If you check \\\"Overwrite Existing\\\", information about a subscriber in the database will be replaced by the imported information. Subscribers are matched by email or foreign key.	If you check \\\"Overwrite Existing\\\", information about a subscriber in the database will be replaced by the imported information. Subscribers are matched by email or foreign key.
#	en	Overwrite Existing	Overwrite Existing
# # # # # #	en	If you check \\\"Retain Old Email\\\", a conflict of two emails being the same will keep the old one and add \\\"duplicate\\\" to the new one. If you don't check it, the old one will get \\\"duplicate\\\" and the new one will take precedence.	If you check \\\"Retain Old Email\\\", a conflict of two emails being the same will keep the old one and add \\\"duplicate\\\" to the new one. If you don't check it, the old one will get \\\"duplicate\\\" and the new one will take precedence.
#	en	Retain Old User Email	Retain Old Email
# # # # # #	en	If you choose \\\"send notification email\\\" the subscribers you are adding will be sent the request for confirmation of subscription to which they will have to reply. This is recommended, because it will identify invalid emails.	If you choose \\\"send notification email\\\" the subscribers you are adding will be sent the request for confirmation of subscription to which they will have to reply. This is recommended, because it will identify invalid emails.
#	en	Send Notification email	Send Notification email

#	en	Make confirmed immediately	Make confirmed immediately
#			If you are going to send notification to subscribers, you may want to add a little delay between messages
#	en	If you are going to send notification to users, you may want to add a little delay between messages	between messages
#	en	Notification throttle	Notification throttle
#			(default is nothing, will send as fast as it can)
#	en	(default is nothing, will send as fast as it can)	(default is nothing, will send as fast as it can)
#	en	no such User	no such subscriber
#	en	msg	msg
#	en	time	time
#	en	messages sent to this user	messages sent to this subscriber
#	en	responsetime	responsetime
#	en	bounce	bounce
#	en	average	average
#	en	Subscription	Subscription
#	en	subscriber is blacklisted since	Subscriber is blacklisted since
#	en	Blacklist info	Blacklist info
#	en	Value	Value
#		are you sure you want to delete this subscriber from the blacklist	are you sure you want to delete this subscriber from the blacklist
#	en	are you sure you want to delete this subscriber from the blacklist	are you sure you want to delete this subscriber from the blacklist
#		it should only be done with explicit permission from this subscriber	it should only be done with explicit permission from this subscriber
#	en	it should only be done with explicit permission from this subscriber	it should only be done with explicit permission from this subscriber
#	en	remove subscriber from blacklist	remove subscriber from blacklist
#	en	remove	remove
#		For this subscriber to be removed from the blacklist, you need to ask them to re-subscribe using the phpList subscribe page	For this subscriber to be removed from the blacklist, you need to ask them to re-subscribe using the phpList subscribe page
#	en	For this subscriber to be removed from the blacklist, you need to ask them to re-subscribe using the phpList subscribe page	For this subscriber to be removed from the blacklist, you need to ask them to re-subscribe using the phpList subscribe page
#	en	Subscription History	Subscription history
#	en	no details found	no details found
#	en	ip	ip
#	en	detail	detail
#	en	info	info
#	en	Removed from blacklist by %s	Removed from blacklist by %s
#	en	Removed from blacklist	Removed from blacklist
#	en	Added to blacklist	Added to blacklist
#	en	Added to blacklist for reason %s	Added to blacklist for reason %s
#	en	sort by %s	sort by %s
#	en	back	back
#	en	Close this box	Close this box
#	en	Hide	Hide
#	en	open	open
#	en	close	close
#	en	search subscribers	search subscribers
#	en	manage subscriber attributes	manage subscriber attributes
#	en	edit values for attributes	edit values for attributes
#	en	Reconcile Subscribers	Reconcile Subscribers
#	en	Suppression list	Suppression list
#	en	Bulk remove subscribers	Bulk remove subscribers
#	en	Verify subscribers	Verify subscribers
#	en	Import subscribers	Import subscribers
#	en	Export subscribers	Export subscribers

#	en	subscriber management functions	subscriber management functions
#	en	The temporary directory for uploading is not writable, so import will fail	The temporary directory for uploading is not writable, so import will fail
#	en	Please upload a plain text file only. You cannot use a spreadsheet. You can only upload a plain text file with one email address per line.	Please upload a plain text file only. You cannot use a spreadsheet. You can only upload a plain text file with one email address per line.
#	en	Cannot read file. It is not readable !	Cannot read file. It is not readable !
#	en	Test output:	Test output:
#	en	There should only be ONE email per line.	There should only be ONE email per line.
#	en	If the output looks ok, go	If the output looks ok, go
#	en	to resubmit for real	to resubmit for real
#	en	adding_users	Adding subscribers
#	en	The file you upload will need to contain the emails you want to add to these lists. Anything after the email will be added as attribute \\\"Info\\\" of the Subscriber. You can specify the rest of the attributes of these subscribers below. Warning: the file needs to be plain text. Do not upload binary files like a Word Document.	The file you upload will need to contain the emails you want to add to these lists. Anything after the email will be added as attribute Info of the Subscriber. You can specify the rest of the attributes of these subscribers below. Warning: the file needs to be plain text. Do not upload binary files like a Word Document.
#	en	File containing emails:	File containing emails:
#	en	send notification email	send notification email
#	en	Import emails from IMAP folders	Import emails from IMAP folders
#	en	can't connect	can't connect
#	en	imap_getmailboxes failed	imap_getmailboxes failed
#	en	Please enter details of the IMAP account	Please enter details of the IMAP account
#	en	Server	Server
#	en	Select the headers fields to search	Select the headers fields to search
#	en	Mark new users as HTML	Mark new subscribers as HTML
#	en	If you check	If you check
#	en	information about a user in the database will be replaced by the imported information. Users are matched by email.	information about a subscriber in the database will be replaced by the imported information. Subscribers are matched by email.
#	en	Only use complete addresses	Only use complete addresses
#	en	addresses that do not have a real name will be ignored. Otherwise all emails will be imported.	addresses that do not have a real name will be ignored. Otherwise all emails will be imported.
#	en	If you choose	If you choose
#	en	the users you are adding will be sent the request for confirmation of subscription to which they will have to reply. This is recommended, because it will identify invalid emails.	the subscribers you are adding will be sent the request for confirmation of subscription to which they will have to reply. This is recommended, because it will identify invalid emails.
#	en	Send Notification email	Send Notification email

#		There are two ways to add the names of the	There are two ways to add the names of the
#		users, either one attribute for the entire name or	subscribers, either one attribute for the entire
#		two attributes, one for first name and one for last	name or two attributes, one for first name and
#		name. If you use 'two attributes', the	one for last name. If you use 'two attributes', the
#	en	name will be split after the first space.	name will be split after the first space.
#	en	Use one attribute for name	Use one attribute for name
#	en	Use two attributes for the name	Use two attributes for the name
#	en	Attribute one	Attribute one
#	en	Create Attribute	Create Attribute
#	en	Attribute two	Attribute two
#	en	Cannot continue	Cannot continue
#	en	Process Selected Folders	Process Selected Folders
#	en	processed	processed
#	en	folders and	folders and
#	en	unique emails found	unique emails found
#		All the emails already exist in the database and	All the emails already exist in the database and
#	en	are members of the	are members of the
#	en	emails already existed in the database	emails already existed in the database
#	en	Invalid Emails found.	Invalid Emails found.
#		These records were added, but the email has	These records were added, but the email has
#		been made up. You can find them by doing a	been made up. You can find them by doing a
#	en	search on	search on
#	en	No emails found	No emails found
#			
#	en	Delete will remove subscriber from the database	Delete will delete subscriber from the database
#	en	Process Next Batch	Process Next Batch
#	en	Hmm, duplicate entry,	Hmm, duplicate entry,
#	en	new rules found	new rules found
#	en	bounces not matched	bounces not matched
#	en	bounces matched to existing rules	bounces matched to existing rules
#	en	Overview	Overview
#	en	View Clicks by URL	View clicks per URL
#	en	View Clicks by Message	View clicks by campaign
#	en	View Opens by Message	View opens by campaign
#	en	Domain Statistics	Domain statistics
#	en	The clicktracking system has changed	The clicktracking system has changed
#	en	You have %s entries in the old statistics table	You have %s entries in the old statistics table
#	en	Convert Old data to new	Convert old data to new
#		To avoid overloading the system, this will convert	To avoid overloading the system, this will convert
#	en	10000 records at a time	10000 records at a time
#	en	Error sending email to %s	Error sending email to %s
#			
#	en	Error, empty message-body sending email to %s	Error, empty message-body sending email to %s
#	en	Never	Never
#	en	Last updated	Last updated
#	en	Last modified	Last modified
#	en	Sunday	Sunday
#	en	Monday	Monday
#	en	Tuesday	Tuesday
#	en	Wednesday	Wednesday

#	en	Thursday	Thursday
#	en	Friday	Friday
#	en	Saturday	Saturday
#	en	Invalid security token. Please reload the page and try again.	Invalid security token, please reload the page and try again
#	en	Processing export, this may take a while. Please wait	Processing export, this may take a while. Please wait
#	en	Export subscribers on %s	<h4>Export subscribers on %s</h4>
#	en	What date needs to be used:	What date needs to be used:
#	en	Any date	Any date
#	en	Export all subscribers	Export all subscribers
#	en	When they signed up	When they signed up
#	en	When the record was changed	When the record was changed
#	en	Based on changelog	Based on changelog
#	en	When they subscribed to	When they subscribed to
#	en	Date From:	Date From:
#	en	Date To:	Date To:
#	en	Select the columns to include in the export	Select the columns to include in the export
#	en	Select all	Select all
#	en	Certified Secure by	Certified secure by
#	en	phpList is licensed with the %sGNU Public License (GPL)%s	phpList is licensed with the %sGNU Public License (GPL)%s
#	en	Developers	Developers
#	en	Contributors	Contributors
#	en	Design	Design
#	en	Design implementation	Design implementation
#	en	Documentation	Documentation
#	en	Translations	Translations
#	en	The translations are provided by the phpList community (that includes you :-)	The translations are provided by the phpList community (that includes you :-)
#	en	The translation site runs Pootle an Open Source translation tool, provided by Translate House	The translation site runs Pootle an Open Source translation tool, provided by Translate House
#	en	Acknowledgements	Acknowledgements
#	en	The developers wish to thank the many contributors to this system, who have helped out with bug reports, suggestions, donations, feature requests, sponsoring, translations and many other contributions.	The developers wish to thank the many contributors to this system, who have helped out with bug reports, suggestions, donations, feature requests, sponsoring, translations and many other contributions.
#	en	Portions of the system include	Portions of the system include
#	en	Process Next %d	Process Next %d
#	en	No match	No match
#	en	bounces did not match any current active rule	bounces did not match any current active rule

#	en	bounce matched current active rules	bounce matched current active rules
#		Updating the regular expression of this rule caused an Sql conflict This is probably because there is already a rule like that. Do you want to delete this rule instead?	Updating the regular expression of this rule caused an Sql conflict This is probably because there is already a rule like that. Do you want to delete this rule instead?
#	en	back to list of bounce rules	back to list of bounce rules
#	en	Regular Expression	Regular Expression
#	en	Created By	Created By
#	en	Select Status	Select Status
#	en	Memo for this rule	Memo for this rule
#	en	related bounces	related bounces
#	en	no related bounces found	no related bounces found
#	en	and more, %d in total	and more, %d in total
#	en	User Click Statistics	Subscriber click statistics
#			
#	en	User Click Details for a URL in a message	Subscriber click details for a URL in a message
#	en	User Click Details for a Message	Subscriber click details for a message
#	en	User Click Details for a URL	Subscriber click details for a URL
#	en	User Click Details	Subscriber click details
#	en	view user	view subscriber
#	en	firstclick	first click
#	en	latestclick	latest click
#	en	Add new admin	Add new admin
#	en	You cannot delete yourself	You cannot delete yourself
#	en	Admin added	Admin added
#	en	Administrators	Administrators
#	en	Find an admin	Find an admin
#	en	Show	Show
#	en	Add a new Administrator	Add a new administrator
#	en	Import list of admins	Import list of admins
#	en	List of Administrators	List of administrators
#		Cannot save admin, that email address already exists for another admin	Cannot save admin, that email address already exists for another admin
#	en	Back to edit admin	Back to edit admin
#		Error adding new admin, login name and/or email not inserted, email not valid or admin already exists	Error adding new administrator. Login name and/or email not inserted, email address not valid or admin already exists
#	en	Failed, you cannot delete yourself	Failed, you cannot delete yourself
#	en	Edit Administrator	Edit administrator
#	en	hidden	hidden
#	en	Update it?	Update it?
#	en	Remind it?	Remind it?
#	en	Login Name	Login name
#	en	Privileges	Privileges
#	en	Send Campaigns	Send campaigns
#	en	Available Messages	Available campaigns
#	en	N/A	N/A
#	en	links	links
#	en	user clicks	user clicks
#	en	clickrate	click rate
#	en	total clicks	total clicks

#	en	Click Details for a Message	Click details for a campaign
#	en	Sent to	Sent to
#	en	click rate	click rate
#	en	Campaign click statistics	Campaign click statistics
#	en	import_by	imported by
#	en	Imported	Imported
#	en	%d lines processed	%d lines processed
#	en	%d email imported	%d email imported
#	en	%d duplicates	%d duplicates
#	en	%d invalidated	%d invalidated
#		%d addresses were blacklisted and have not been	%d addresses were blacklisted and have not been
#	en	subscribed to the list	subscribed to the list
#	en	Adding subscribers	Adding subscribers
#		Please enter the emails to import, one per line, in	Please enter the email addresses to import, one
#		the box below and click \\\"Import Emails\\\"	per line, in the box below and click \\\"Import
#	en		Emails\\\"
#		Check to skip emails that are not valid	Check to skip email addresses that are not valid
#	en	Import emails	Import emails
#	en	No such record	No such record
#	en	Back to the list of bounces	Back to the list of bounces
#	en	Not Found	Not Found
#		Added %s to bouncecount for subscriber %s	Added %s to bouncecount for subscriber %s
#	en	Made subscriber %s unconfirmed	Made subscriber %s unconfirmed
#	en	Made subscriber %d to receive text	Made subscriber %d to receive text
#	en	Deleted subscriber %d	Deleted subscriber %d
#	en	Deleting bounce %d ..	Deleting bounce %d ..
#	en	..Done, loading next bounce..	..Done, loading next bounce..
#	en	This bounce no longer exists in the database.	This bounce no longer exists in the database.
#	en	Add new Rule	Add new Rule
#	en	For subscriber with email	For subscriber with email
#	en	Increase bouncecount with	Increase bouncecount with
#	en	(use negative numbers to decrease)	(use negative numbers to decrease)
#	en	Mark subscriber as unconfirmed	Mark subscriber as unconfirmed
#		(so you can resend the request for confirmation)	(so you can resend the request for confirmation)
#		Set subscriber to receive text instead of HTML	Set subscriber to receive text instead of HTML
#	en	Delete this bounce and go to the next	Delete this bounce and go to the next
#	en	Do the above	Do the above
#	en	Create New Rule based on this bounce	Create New Rule based on this bounce
#	en	Possible Actions:	Possible Actions:
#	en	Comment	Comment
#	en	Header	Header
#	en	Body	Body
#	en	Bounce Details	Bounce details
#	en	New Rule	New rule
#		Please choose one of the import methods below	Please choose one of the import methods below
#	en	copy and paste list of emails	copy and paste list of emails

#	en	import by uploading a file with emails	import by uploading a file with emails
#		import by uploading a CSV file with emails and additional data	import by uploading a CSV file with emails and additional data
#	en	Website address (without http://)	Website address (without http://)
#	en	Domain Name of your server (for email)	Domain Name of your server (for email)
#		Person in charge of this system (one email address)	Person in charge of this system (one email address)
#	en	Name of the organisation	Name of the organisation
#		How often do you want to check for a new version of phplist (days)	How often do you want to check for a new version of phpList (days)
#	en	Secret for remote processing	Secret for remote processing
#		List of email addresses to CC in system messages (separate by commas)	List of email addresses to CC in system messages (separate by commas)
#	en	Default for 'From:' in a campaign	Default for 'From:' in a campaign
#		Default for 'address to alert when sending starts'	Default for 'email address to alert when sending starts'
#		Default for 'address to alert when sending finishes'	Default for 'email address to alert when sending finishes'
#		Always add Google tracking code to campaigns	Always add Google tracking code to campaigns
#		Who gets the reports (email address, separate multiple emails with a comma)	Who gets the reports (email address, separate multiple emails with a comma)
#	en	From email address for system messages	From email address for system messages
#	en	Webmaster	Webmaster
#	en	Name for system messages	Name for system messages
#	en	Reply-to email address for system messages	Reply-to email address for system messages
#		If there is only one visible list, should it be hidden in the page and automatically subscribe users who sign up	If there is only one visible list, should it be hidden in the page and automatically subscribe users who sign up
#	en	Categories for lists. Separate with commas.	Categories for lists. Separate with commas.
#	en	Width of a textline field (numerical)	width of a textline field (numerical)
#		Dimensions of a textarea field (rows,columns)	dimensions of a textarea field (rows,columns)
#		Send notifications about subscribe, update and unsubscribe	Send notifications about subscribe, update and unsubscribe
#		The default subscribe page when there are multiple	The default subscribe page when there are multiple
#		The default HTML template to use when sending a message	The default HTML template to use when sending a message
#		The HTML wrapper template for system messages	The HTML wrapper template for system messages
#	en	URL where subscribers can sign up	URL where subscribers can sign up
#	en	URL where subscribers can unsubscribe	URL where subscribers can unsubscribe
#		URL where unknown users can unsubscribe (do-not-send-list)	URL where unknown visitors can unsubscribe (do-not-send-list)
#		URL where subscribers have to confirm their subscription	URL where subscribers have to confirm their subscription
#		URL where subscribers can update their details	URL where subscribers can update their details
#	en	URL for forwarding messages	URL for forwarding messages

#		<h3>Thanks, you have been added to our newsletter</h3><p>You will receive an email to confirm your subscription. Please click the link in the email to confirm</p>	<h3>Thanks, you have been added to our newsletter</h3><p>You will receive an email message to confirm your subscription. Please click the link in the email to confirm</p>
#	en	Text to display when subscription with an AJAX request was successful	Text to display when subscription with an AJAX request was successful
#	en	Request for confirmation	Request for confirmation
#		Subject of the message subscribers receive when they sign up	Subject of the message subscribers receive when they sign up
#	en	Message subscribers receive when they sign up	Message subscribers receive when they sign up
#	en	Goodbye from our Newsletter	Goodbye from our newsletter
#		Subject of the message subscribers receive when they unsubscribe	Subject of the message subscribers receive when they unsubscribe
#	en	Message subscribers receive when they unsubscribe	Message subscribers receive when they unsubscribe
#	en	Welcome to our Newsletter	Welcome to our Newsletter
#		Subject of the message subscribers receive after confirming their email address	Subject of the message subscribers receive after confirming their email address
#	en	Message subscribers receive after confirming their email address	Message subscribers receive after confirming their email address
#	en	[notify] Change of List-Membership details	[notify] Change of List-Membership details
#		Subject of the message subscribers receive when they have changed their details	Subject of the message subscribers receive when they have changed their details
#	en	Message subscribers receive when they have changed their details	Message content subscribers receive when they have changed their details
#		Part of the message that is sent to their new email address when subscribers change their information, and the email address has changed	Part of the message that is sent to their new email address when subscribers change their information, and the email address has changed
#		Part of the message that is sent to their old email address when subscribers change their information, and the email address has changed	Part of the message that is sent to their old email address when subscribers change their information, and the email address has changed
#	en	Your personal location	Your personal location
#		Subject of message when subscribers request their personal location	Subject of message to send when subscribers request their personal location
#	en	Message when subscribers request their personal location	Content of message to send when subscribers request their personal location
#	en	Default footer for sending a campaign	Default footer for sending a campaign
#	en	Footer used when a message has been forwarded	Footer used when a message has been forwarded
#	en	Header of public pages.	Header of public pages
#	en	Footer of public pages	Footer of public pages
#		Message to send when they request their personal location	Message to send when they request their personal location
#	en	String to always append to remote URL when using send-a-webpage	String to always append to remote URL when using send-a-webpage
#	en	Width for Wordwrap of Text messages	Width for Wordwrap of Text messages
#	en	CSS for HTML messages without a template	CSS for HTML messages without a template

#			
#	en	Domains that only accept text emails, one per line	Domains that only accept text emails, one per line
#		last time TLDs were fetched	last time TLDs were fetched
#	en	Top level domains	Top level domains
#	en	Adding index %s to %s	Adding index %s to %s
#	en	Adding index %s to %s 	Adding index %s to %s
#	en	Adding unique index %s to %s	Adding unique index %s to %s
#	en	Adding unique index %s to %s 	Adding unique index %s to %s
#			
#	en	To install phpList, you need to enable Javascript	To install phpList, you need to enable Javascript
#		The default system language is different from	The default system language is different from
#	en	your browser language.	your browser language.
#		You can set <pre>\$default_system_language =	You can set <pre>\$default_system_language =
#		\\ "%s\\" ;</pre> in your config file, to use your	\\ "%s\\" ;</pre> in your config file, to use your
#	en	language as the fallback language.	language as the fallback language.
#		It is best to do this before initialising the	It is best to do this before initialising the
#	en	database.	database.
#	en	phpList initialisation	phpList initialisation
#	en	Please enter your name.	Please enter your name.
#	en	The name of your organisation	The name of your organisation
#	en	Please enter your email address.	Please enter your email address.
#	en	The initial <i>login name</i> will be	The initial <i>login name</i> will be
#		Please enter the password you want to use for	Please enter the password you want to use for
#	en	this account.	this account.
#	en	minimum of 8 characters.	minimum of 8 characters.
#	en	creating tables	creating tables
#	en	Initialising table	Initialising table
#	en	Table already exists	Table already exists
#	en	Initialise plugin	Initialise plugin
#	en	List for testing.	List for testing.
#	en	Sign up to our newsletter	Sign up to our newsletter
#	en	Tell us about it	Tell us about it
#	en	Continue with	Continue with
#	en	phpList Setup	phpList Setup
#	en	Maybe you want to	Maybe you want to
#	en	instead?	instead?
#	en	Force Initialisation	Force Initialisation
#	en	(will erase all data!)	(will erase all data!)
#	en	Hint: this page also works from commandline	Hint: this page also works from commandline
#	en	creating tables done	creating tables done
#	en	%d entries still to convert	%d entries still to convert
#	en	converting data	converting data
#	en	processing cancelled	processing cancelled
#	en	Optimizing table to recover space	Optimizing table to recover space
#	en	Finished	Finished
#	en	Convert some more	Convert some more
#	en	Admin Authentication initialisation failure	Admin Authentication initialisation failure
#	en	invalid login from %s, tried logging in as %s	invalid login from %s, tried logging in as %s
#	en	Failed sending a change password token	Failed sending a change password token
#	en	login ip invalid from %s for %s (was %s)	login ip invalid from %s for %s (was %s)

#		Your IP address has changed. For security reasons,	Your IP address has changed. For security reasons,
#	en	please login again	please login again
#	en	invalidated login from %s for %s (error %s)	invalidated login from %s for %s (error %s)
#	en	Your session timed out, please log in again	Your session timed out, please login again
#	en	Your session timed out, please login again	Your session timed out, please login again
#	en	goodbye	goodbye
#	en	good morning	good morning
#	en	good afternoon	good afternoon
#	en	good evening	good evening
#		phpList will work without Javascript, but it will be	phpList will work without Javascript, but it will be
#	en	easier to use if you switch it on.	easier to use if you switch it on.
#		Running in testmode, no emails will be sent.	Running in testmode, no emails will be sent.
#	en	Check your config file.	Check your config file.
#	en	phpList requires PHP version 5.1.2 or higher	phpList requires PHP version 5.1.2 or higher
#		You are trying to use RSS, but XML is not included	You are trying to use RSS, but XML is not included
#	en	in your PHP	in your PHP
#		open_basedir restrictions are in effect, which may	open_basedir restrictions are in effect, which may
#	en	be the cause of the next warning	be the cause of the next warning
#		The attachment repository does not exist or is not	The attachment repository does not exist or is not
#	en	writable	writable
#	en	Process the queue	Process the queue
#	en	View the queue	View the queue
#	en	You have %s message(s) waiting to be sent	You have %s message(s) waiting to be sent
#		You are trying to use PDF support without having	You are trying to use PDF support without having
#	en	FPDF loaded	FPDF loaded
#		The pageroot in your config does not match the	The pageroot in your config does not match the
#	en	current locationCheck your config file.	current location Check your config file.
#	en	Sorry this page was not found in the plugin	Sorry this page was not found in the plugin
#	en	Sorry, that module does not exist	Sorry, that module does not exist
#	en	Sorry, not implemented yet	Sorry not Implemented yet
#	en	choose	choose
#	en	File is either to large or does not exist.	File is either to large or does not exist.
#	en	No file was specified.	No file was specified.
#		Some characters that are not valid have been	Some characters that are not valid have been
#		found. These might be delimiters. Please check	found. These might be delimiters. Please check
#		the file and select the right delimiter. Character	the file and select the right delimiter. Character
#	en	found:	found:
#	en	Name cannot be empty	Name cannot be empty
#	en	Cannot find the email in the header	Cannot find the email in the header
#	en	Cannot find the password in the header	Cannot find the password in the header
#	en	Cannot find the loginname in the header	Cannot find the loginname in the header
#	en	Import administrators, please wait	Importing administrators, please wait
#		Record has more values than header indicated,	Record has more values than header indicated,
#	en	this may cause trouble	this may cause trouble
#		Test output: If the output looks ok, go Back to	Test output If the output looks ok, go Back to
#	en	resubmit for real	submit for real
#	en	login	login
#	en	Empty loginname, using email:	Empty loginname, using email:
#	en	added to attribute	added to attribute
#	en	List for	List for

#	en	new administrator was	new administrator was
#	en	new administrators were	new administrators were
#	en	All the administrators already exist in the database	All the administrators already exist in the database
#	en	Information has been updated from the import	Information has been updated from the import
#	en	successfully imported to the database and added to the system.	successfully imported to the database and added to the system.
#	en	Import some more administrators	Import some more administrators
#	en	The file you upload will need to contain the administrators you want to add to the system. The columns need to have the following headers: email, loginname, password. Any other columns will be added as admin attributes. Warning: the file needs to be plain text. Do not upload binary files like a Word Document.	The file you upload will need to contain the administrators you want to add to the system. The columns need to have the following headers: email, loginname, password. Any other columns will be added as admin attributes. Warning: the file needs to be plain text. Do not upload binary files like a Word Document.
#	en	Check this box to create a list for each administrator, named after their loginname	Check this box to create a list for each administrator, named after their loginname
#	en	Do Import	Do Import
#	en	Go there	Go there
#	en	Change admin password	Change admin password
#	en	Verify Settings	Verify settings
#	en	Create public lists	Create public lists
#	en	Create a subscribe page	Create a subscribe page
#	en	Add some subscribers	Add some subscribers
#	en	Congratulations, phpList is set up, you are ready to start mailing	Congratulations, phpList is set up, you are ready to start mailing
#	en	Start a message campaign	Start a message campaign
#	en	configuration steps	Configuration steps
#	en	The default system template already exists	The default system template already exists
#	en	Go back to templates	Go back to templates
#	en	The default system template has been added as template with ID	The default system template has been added as template with ID
#	en	Edit template	Edit template
#	en	You cannot create a new list because you have reached maximum number of lists.	You cannot create a new list because you have reached maximum number of lists.
#	en	Members of this list	Members of this list
#	en	New list added	New list added
#	en	Add another list	Add another list
#	en	List name	List name
#	en	Public list (listed on the frontend)	Public list (listed on the frontend)
#	en	Order for listing	Order for listing
#	en	Category	Category
#	en	choose category	Choose category
#	en	List Description	List Description
#	en	save	Save
#	en	Cancel	Cancel
#	en	Do not save, and go back to the lists	Do not save, and go back to the lists
#	en	Top 50 domains with more than 5 emails	Top 50 domains with more than 5 emails

#	en	perc	perc
#	en	num	num
#	en	Top 25 pre-@ of email addresses	Top 25 pre-@ of email addresses
#	en	amount	amount
#	en	This page requires Javascript to be enabled.	This page requires Javascript to be enabled.
#		To send your queue, you can now use the phpList	To send your queue, you can now use the phpList
#	en	Hosted service	Hosted service
#	en	Set up using the service	Set up using the service
#	en	Use local processing	Use local processing
#	en	Processing queued campaigns	Processing queued campaigns
#	en	Using local processing	Using local processing
#		To send your queue, you use the service from	To send your queue, you use the service from
#	en	phpList.com	phpList.com
#	en	Reset choice	Reset choice
#	en	That rule exists already	That rule exists already
#	en	Number of %s rules: %d	Number of %s rules: %d
#	en	candidate	Candidate
#	en	Bounce Regular Expressions	Bounce Regular Expressions
#	en	No Rules found	No Rules found
#	en	rule	rule
#	en	match	match
#	en	expression	expression
#	en	#bncs	#bncs
#	en	with tagged rules:	with tagged rules:
#	en	make active	make active
#	en	make inactive	make inactive
#	en	add a new rule	add a new rule
#	en	unidentified	unidentified
#		are you sure you want to delete all unidentified	are you sure you want to delete all unidentified
#	en	bounces older than 2 months	bounces older than 2 months
#	en	delete all unidentified (> 2 months old)	delete all unidentified (> 2 months old)
#		are you sure you want to delete all bounces older	Are you sure you want to delete all bounces older
#	en	than 2 months	than 2 months
#	en	delete all processed (> 2 months old)	Delete all processed (> 2 months old)
#	en	are you sure you want to delete all bounces	are you sure you want to delete all bounces
#	en	view bounces by list	view bounces by list
#	en	no unidentified bounces available	no unidentified bounces available
#	en	no processed bounces available	no processed bounces available
#	en	System Message	System message
#	en	Loading	Loading
#	en	return to editing attributes	return to editing attributes
#	en	test processing error	test processing error
#	en	test Processing info	test processing info
#	en	mails in mailbox	mails in mailbox
#	en	tests	tests
#	en	test_protocol not supported	test_protocol not supported
#	en	List Bounce Rules	List Bounce Rules
#	en	View Bounces per list	View Bounces per list
#	en	Check Current Bounce Rules	Check Current Bounce Rules

# # # # # # #	en	You currently have no rules defined. You can click "\\Generate Bounce Rules\\" in order to auto-generate rules from your existing bounces. This will results in a lot of rules which you will need to review and activate. It will however, not catch every single bounce, so it will be necessary to add new rules over time when new bounces come in.	You currently have no rules defined. You can click Generate Bounce Rules in order to auto-generate rules from your existing bounces. This will results in a lot of rules which you will need to review and activate. It will however, not catch every single bounce, so it will be necessary to add new rules over time when new bounces come in.
# # # #	en	You have already defined bounce rules in your system. Be careful with generating new ones, because these may interfere with the ones that exist.	You have already defined bounce rules in your system. Be careful with generating new ones, because these may interfere with the ones that exist.
#	en	Generate Bounce Rules	Generate Bounce Rules
#	en	Available URLs	Available URLs
#	en	last clicked	last clicked
#	en	Select URL to view	Select URL to view
#	en	There are currently no statistics available	There are currently no statistics available
#	en	URL Click Statistics	URL click statistics
#	en	Click Details for a URL	Click details for a URL
#	en	view subscribers who clicked	view subscribers who clicked
#	en	Your database version	Your database version
# # #	en	Please edit your config file and change "\\mysql.inc\\" to "\\mysqli.inc\\" to avoid future PHP incompatibility	Please edit your config file and change "\\mysql.inc\\" to "\\mysqli.inc\\" to avoid future PHP incompatibility
# #	en	Your database is already the correct version, there is no need to upgrade	Your database is already the correct version, there is no need to upgrade
#	en	update Top Level Domains	update Top Level Domains
# #	en	Please wait, upgrading your database, do not interrupt	Please wait, upgrading your database, do not interrupt
#	en	Database requires converting to UTF-8.	Database requires converting to UTF-8.
# #	en	However, there is too little diskpace for this conversion	However, there is too little diskpace for this conversion
#	en	Please do a manual conversion.	Please do a manual conversion.
#	en	Run manual conversion to UTF8	Run manual conversion to UTF8
#	en	Upgrade successful	Upgrade successful
#	en	Upgrade failed	Upgrade failed
# # #	en	Your database requires upgrading, please make sure to create a backup of your database first.	Your database requires upgrading, please make sure to create a backup of your database first.
# # #	en	If you have a large database, make sure you have sufficient diskpace available for upgrade.	If you have a large database, make sure you have sufficient diskpace available for upgrade.
# # # #	en	When you are ready click %s Depending on the size of your database, this may take quite a while. Please make sure not to interrupt the process, once it started.	When you are ready click %s Depending on the size of your database, this may take quite a while. Please make sure not to interrupt the process, once it started.
#	en	Subscribe page information saved	Subscribe page information saved
#	en	Subscribe to our newsletter	Subscribe to our newsletter
# #	en	Please indicate how often you want to receive messages	Please indicate how often you want to receive messages

#	en	General Information	General Information
#	en	Language file to use	Language file to use
#	en	Intro	Intro
#	en	Thank you page	Thank you page
#	en	Text for Button	Text for button
#	en	HTML Email choice	HTML Email choice
#	en	Don't offer choice, default to text	Don't offer choice, default to text
#	en	Don't offer choice, default to HTML	Don't offer choice, default to HTML
#	en	Offer checkbox for text	Offer checkbox for text
#	en	Offer checkbox for HTML	Offer checkbox for HTML
#	en	Radio buttons, default to text	Radio buttons, default to text
#	en	Radio buttons, default to HTML	Radio buttons, default to HTML
#	en	Display email confirmation	Display email address confirmation field
#			
#	en	Don't display email confirmation	Don't display email address confirmation field
#	en	Transaction messages	Transaction messages
#			Content of message subscribers receive when they subscribe
#	en	Message they receive when they subscribe	Message they receive when they confirm their subscription
#			Content of the message they receive when they unsubscribe
#	en	Message they receive when they unsubscribe	Message they receive when they confirm their subscription
#	en	Select the attributes to use	Select the attributes to use
#			
#	en	Check this box to use this attribute in the page	Check this box to use this attribute in the page
#	en	Information needed for %s	Information needed for %s
#	en	Select the lists to offer	Select the lists to offer
#		You can only select \\\"public\\\" lists for subscribe pages.	You can only select \\\"public\\\" lists for subscribe pages.
#	en	No lists available, please create one first	No lists available, please create one first
#	en	No list categories have been defined	No list categories have been defined
#		Once you have set up a few categories, come back to this page to classify your lists with your categories.	Once you have set up a few categories, come back to this page to classify your lists with your categories.
#	en	Configure Categories	Configure categories
#	en	Categories saved	Categories saved
#			
#	en	All lists have already been assigned a category	All lists have already been assigned a category
#	en	in progress	in progress
#	en	Open statistics	Open statistics
#	en	Entries	Entries
#	en	firstview	firstview
#	en	lastview	lastview
#	en	Type of attribute	Type of attribute
#	en	Required for subscriber to fill out	Required for subscriber to fill out
#	en	Name of table with values	Name of table with values
#	en	Subscriber ID	Subscriber ID
#	en	Value of this attribute for this subscriber	Value of this attribute for this subscriber
#	en	PKey	PKey
#	en	Is this subscriber confirmed	Is this subscriber confirmed
#	en	Is this subscriber blacklisted	Is this subscriber blacklisted

#	en	Did this subscriber manually confirm	Did this subscriber manually confirm
#	en	Number of bounces	Number of bounces
#	en	Unique ID	Unique ID
#	en	Send this subscriber HTML emails	Send this subscriber HTML emails
#	en	Which page was used to subscribe	Which page was used to subscribe
#	en	RSS Frequency	RSS Frequency
#	en	Last time password was changed	Last time password was changed
#	en	Is this account disabled?	Is this account disabled?
#	en	Additional data	Additional data
#	en	History Summary	History Summary
#	en	History Detail	History Detail
#	en	System Information	System Information
#	en	Subject prefix	Subject prefix
#	en	Rss Feed	Rss Feed
#	en	Modified	Modified
#	en	Admin who is owner of this list	Admin who is owner of this list
#	en	List category	List category
#	en	List ID	List ID
#	en	Primary Key	Primary Key
#	en	from	from
#	en	tofield	tofield
#	en	reply-to	reply-to
#	en	Text version of Message	Text version of Message
#	en	Footer for a message	Footer for a message
#	en	Time to send message	Time to send message
#	en	Number of seconds to repeat the message	Number of seconds to repeat the message
#	en	Final time to stop repetition	Final time to stop repetition
#	en	Number of seconds to requeue the message	Number of seconds to requeue the message
#	en	Final time to stop requeueing	Final time to stop requeueing
#	en	query to select the subscribers for this message	query to select the subscribers for this message
#	en	Is this message HTML formatted	Is this message HTML formatted
#	en	Format to send this message in	Format to send this message in
#	en	Template to use	Template to use
#	en	Number Processed	Number Processed
#	en	Sent as Text and HTML	Sent as Text and HTML
#	en	Sent as PDF	Sent as PDF
#	en	Sent as Text and PDF	Sent as Text and PDF
#	en	Was the message viewed	Was the message viewed
#	en	How many bounces on this message	How many bounces on this message
#	en	When did sending of this message start	When did sending of this message start
#	en	if used as a RSS template, what frequency	if used as a RSS template, what frequency
#	en	Admin who is owner	Admin who is owner
#	en	Name of field	Name of field
#	en	Message ID	Message ID
#	en	data	data
#	en	When added to blacklist	When added to blacklist
#	en	Name of Dataitem	Name of Dataitem
#	en	Attachment ID	Attachment ID
#	en	The original location on the uploader machine	The original location on the uploader machine

#	en	The type of attachment	The type of attachment
#	en	Size of the file	Size of the file
#	en	When viewed	When viewed
#	en	Status of message	Status of message
#	en	Start Time	Start Time
#	en	Is this process still alive?	Is this process still alive?
#	en	IP Address of who started it	IP Address of who started it
#	en	The page that this process runs in	The page that this process runs in
#	en	The template	The template
#	en	id of template	id of template
#	en	The image	The image
#	en	Date received	Date received
#	en	Header of bounce	Header of bounce
#	en	The bounce	The bounce
#	en	Status of this bounce	Status of this bounce
#	en	System Comment	System Comment
#	en	Bounce ID	Bounce ID
#	en	When did it bounce	When did it bounce
#	en	Forward email	Forward email
#	en	Status of forward	Status of forward
#	en	When was it forwarded	When was it forwarded
#	en	Editable?	Editable?
#	en	Type of data	Type of data
#	en	Login Name (max 25 chars)	Login name (max 25 chars)
#	en	Normalised loginname	Normalised loginname
#	en	Time Created	Time created
#	en	Time modified	Time modified
#	en	Modified by	Modified by
#	en	Is this admin Super Admin?	Is this admin Super Admin?
#	en	Required	Required
#	en	attribute number	attribute number
#	en	id of admin	id of admin
#	en	Value of this attribute for this admin	Value of this attribute for this admin
#			
#	en	When the password change request was made	When the password change request was made
#	en	Admin's Id	Admin's Id
#	en	Admin who is owner of this page	Admin who is owner of this page
#	en	page this log was for	page this log was for
#	en	Link ID	Link ID
#	en	URL to log	URL to log
#	en	URL to forward to	URL to forward to
#	en	When first clicked	When first clicked
#	en	When last clicked	When last clicked
#	en	Number of clicks	Number of clicks
#	en	ID in forward table	ID in forward table
#		Number of times this link has been sent to	Number of times this link has been sent to
#	en	subscribers for this message	subscribers for this message
#	en	Number of clicks from HTML emails	Number of clicks from HTML emails
#	en	Number of clicks from text emails	Number of clicks from text emails
#	en	forward ID	forward ID
#	en	Forward adding the UID?	Forward adding the UID?

#	en	URL should be unique	URL should be unique
#	en	Name of data	Name of data
#	en	date in unix format	date in unix format
#	en	Regex	Regex
#	en	Action on rule	Action on rule
#	en	Count of matching bounces on this rule	Count of matching bounces on this rule
#	en	Related regex	Related regex
#	en	Related bounce	Related bounce
#	en	adminid	adminid
#	en	Language ISO	Language ISO
#	en	Original string	Original string
#	en	Translated string	Translated string
#	en	pagetitle:home	Dashboard
#	en	pagetitlehover:home	Go to the dashboard page
#	en	pagetitle:setup	Configuration
#			
#	en	pagetitlehover:setup	List of things to do to configure phpList correctly
#	en	pagetitle:about	About phpList
#			
#	en	pagetitlehover:about	More information about the phpList application
#	en	pagetitle:attributes	Configure attributes
#			
#	en	pagetitlehover:attributes	Create, edit and change attributes for subscribers
#	en	pagetitle:stresstest	Stress test
#	en	pagetitlehover:stresstest	Stress test
#	en	pagetitle:list	Subscriber lists
#	en	pagetitlehover:list	Lists that subscribers can sign up to
#	en	pagetitle:config	Settings
#	en	pagetitlehover:config	Configuration functions
#	en	pagetitle:catlists	Categorise lists
#	en	pagetitlehover:catlists	Organise the subscriber lists in categories
#	en	pagetitle:editattributes	Configure attributes
#	en	pagetitlehover:editattributes	Edit the details for an attribute
#	en	pagetitle:editlist	Edit a list
#	en	pagetitlehover:editlist	Change the details for a list
#	en	pagetitle:checki18n	Check that translations exist
#	en	pagetitlehover:checki18n	Verify the existing translations
#	en	pagetitle:importsimple	Import subscribers by copy-and-paste
#			
#	en	pagetitlehover:importsimple	Import subscribers by copying them from a document and pasting them into phpList
#	en	pagetitle:import4	Import subscribers from a remote database
#	en	pagetitlehover:import4	Import subscribers from a remote database
#	en	pagetitle:import3	Import subscribers from IMAP
#	en	pagetitlehover:import3	Import subscribers from IMAP
#	en	pagetitle:import2	Import subscribers from CSV file
#			
#	en	pagetitlehover:import2	Import subscribers from a file containing their email and additional information
#	en	pagetitle:import1	Import subscribers from text file
#			
#	en	pagetitlehover:import1	Import subscribers by uploading a plain-text file with email addresses
#	en	pagetitle:import	Import emails

#	en	pagetitlehover:import	Import subscribers into the database
#	en	pagetitle:export	Export subscribers
#	en	pagetitlehover:export	Download subscribers in the system
#	en	pagetitle:initialise	Initialise the database
#			Create all the database tables required for phpList to work correctly
#	en	pagetitlehover:initialise	
#	en	pagetitle:send	Send a campaign
#			
#	en	pagetitlehover:send	Create a campaign to send out to your subscribers
#	en	pagetitle:preparesend	Prepare a message for sending
#	en	pagetitlehover:preparesend	Prepare a message for sending
#	en	pagetitle:sendprepared	Send a prepared message
#	en	pagetitlehover:sendprepared	Send a prepared message
#	en	pagetitle:members	List membership
#			
#	en	pagetitlehover:members	View the subscribers who are member of a list
#	en	pagetitle:users	Search subscribers
#	en	pagetitlehover:users	Search subscribers in the system
#	en	pagetitle:reconcileusers	Reconcile subscribers
#			Several functions to clean up the database of subscribers
#	en	pagetitlehover:reconcileusers	
#	en	pagetitle:user	Subscriber profile
#	en	pagetitlehover:user	View the profile of a subscriber in the system
#	en	pagetitle:userhistory	History of a subscriber profile
#			
#	en	pagetitlehover:userhistory	View the history of the profile of a subscriber
#	en	pagetitle:messages	List of campaigns